

# BRIZO®

A woman with dark hair, wearing a black long-sleeved dress and a black lace mask over her eyes, is leaning over a white pedestal sink. Her right hand is resting on the edge of the sink, and her left hand is near her face. A black faucet is visible on the right side of the sink. The background is a plain, light gray.

**THE LOOK  
YOU'RE  
LOOKING  
FOR**

EXPLORE  
OUR STYLE  
CONTINUUM

---

**JASON WU  
FOR BRIZO**

TWO  
FASHION  
BRANDS  
UNITE

---

**A NEW  
VISION FOR  
THE SHOWER**

HYDRATI™  
MAKES ITS  
DEBUT

**FULL-LINE  
CATALOG**

*2012-2013*

---

# WHAT IS FASHION? *a prelude*

*Fashion isn't just about a look. It's about a feeling.*

*Fashion is aspirational.*

*Fashion is about leading, not following.*

*Fashion is one step ahead of everything else.*

*Fashion provokes.*

*Fashion evolves.*

*Above all, fashion inspires.*

# TABLE OF CONTENTS

## INTRO


- 6 Innovation
- 10 Sustainable Luxury
- 12 Style Continuum  
*Product Style Continuum, 14*
- 16 Brizo Designers
- 18 Jason Wu for Brizo
- 22 St. Jude Dream Home Giveaway

## PRODUCT

- 24 Dream Kitchen
  - Baliza, 26*
  - Belo, 30*
  - Floriano, 34*
  - Loki, 38*
  - Solna, 42*
  - Talo, 46*
  - Tresa, 50*
  - Venuto, 54*
  - Vuelo, 58*
  - Pot Filler, 62*
  - Beverage Faucet, 64*
- 66 Dream Bath
  - Jason Wu for Brizo, 68*
  - Baliza, 74*
  - Charlotte, 80*
  - Loki, 86*
  - Odin, 92*
  - Providence, 98*
  - Quiessence, 104*
  - RSVP, 110*
  - Siderna, 116*
  - Tresa, 122*
  - Vesi, 128*
  - Virage, 134*
  - Williamsburg Classic, 140*
- 146 Dream Shower
  - Pressure Balanced Showers, 150*
  - Medium Flow Custom Shower Components, 151*
  - Sensori High Flow Custom Shower Components, 152*
  - Wall Mount Showerheads, 153*
  - Ceiling Mount Raincan Showerheads, 154*
  - Hydrati 2|1 Showers, 156*
  - Handshowers, 158*
  - Body Sprays and Jets, 159*

## INDEX

- 160 Kitchen
- 161 Bath





Innovation 6



Sustainable Luxury 10



Brizo Designers 16

# INNOVATION

## PROGRESS HAS NEVER LOOKED BETTER

Brizo has always believed in the power of innovation. Innovation is what drives technological advancement, leading to quantum leaps forward in functionality and durability. It is also at the core of what it means to be fashionable, where anticipating—and creating—trends is critical to success.

Here are just a few recent examples of our commitment to forward thinking in the kitchen. These technologies are more than just objects of desire, they're evidence of our desire to never stand still.

### SmartTouch® Technology



Brizo's exclusive, first-to-market technology allows you to activate the water flow with a simple touch to the faucet body, spout or handle. The touch-sensitive faucet can keep water at a constant temperature and pressure from use to use. This unique functionality makes it easy to activate the water flow only when needed, helping to reduce water usage. Its flexible operation also promotes safe food handling and efficiency of motion during prep work and clean up.

### MagneDock® Technology



The first technology of its kind available, MagneDock features a patented, state-of-the-art magnetic docking system. This system securely holds the spray wand in place when not in use. The durable magnets are made to last forever, while their polarity keeps the spray head perfectly aligned, for a clean, seamless look that maintains the faucet's distinctive form.



Our DIAMOND Seal Technology uses a diamond-coated valve to bring you a faucet built to last up to 5 million uses. With its durable components and simple construction, a DIAMOND Seal Technology valve lasts up to 10 times longer than the industry standard (based on ASME 112.18.1 of up to 500,000 cycles).



Another example of Brizo leadership through innovation, this feature provides users with exceptional control of their faucet's water flow. Alternate between stream and spray, control the water's volume in spray or stream mode, and even pause and restart the flow—all with two button simplicity. For both cooking and clean-up, take control of your water like never before.



# INNOVATION

## INTELLIGENCE MADE INDULGENT.

Brizo remains committed to continually advancing the art and science of water in everything we do, merging distinctive design with extraordinary thinking. It's innovation, inspired.



## H<sub>2</sub>Okinetic™ Technology



H<sub>2</sub>Okinetic Technology is the study of water in motion, and Brizo Custom Shower Systems were the first to bring this revolutionary technology to market. By controlling water's shape, velocity and thermal dynamics, we've reinvented the showering experience—creating a warmer, more luxurious spray that blankets the body, giving the feeling of a high-flow spray with a fraction of the water.

## SmartTouch*Plus*™ Technology



The next generation of Brizo's revolutionary SmartTouch Technology, SmartTouch*Plus* adds proximity sensing to our existing touch technology, allowing for both hands-free and touch-sensitive operation. It's a whole new level of control—and convenience.

## TempIQ™ Temperature Control Technology



TempIQ Temperature Control Technology senses the water temperature before it leaves the spout. An LED light changes color to let you know exactly when water has reached your desired temperature. It has the ability to maintain a consistent water temperature with no sudden (and unwelcome) increases or decreases, while the true high-temperature limit stop offers an added degree of safety.

# SUSTAINABLE LUXURY

Brizo products not only offer superior form and function, they're also designed with sustainability in mind. Because we believe that luxury should do more than simply look good, it should do good. And that true luxury has more than just style, technology and craftsmanship—it has a conscience.



Brizo, as part of Delta Faucet Company, is proud to be named the 2011 WaterSense Partner of the Year by the U.S. Environmental Protection Agency (EPA) in recognition of its ongoing commitment to promoting advancements in water efficiency. The WaterSense program, a partnership program by the EPA, aims to protect the future of the U.S. water supply by providing people with easy and identifiable ways to conserve water. In addition, the program helps consumers make smart water choices in order to maintain high environmental standards and save money without compromising performance. Launched in 2008, the WaterSense Partner of the Year awards recognize partners that help advance the overall mission of the WaterSense program, demonstrate overall excellence in the water-efficiency arena and increase awareness of the WaterSense brand in a measurable way.

WaterSense



As a WaterSense partner, the Brizo brand is committed to working with the Environmental Protection Agency (EPA) to encourage efficient use of water resources and actively protect the future of our nation's water supply. WaterSense is a special certification given to faucets that meet the water efficiency requirements set forth by the EPA, with a flow rate of 1.5 gallons per minute (gpm) for lavatory faucets and 2.0 gpm for showerheads/handshowers (versus Industry Standard ASME A112.18.1/CSA B125.1 of 2.2 gpm for lavs and 2.5 gpm for showerheads/handshowers). WaterSense labeled products use about 20% less water and perform as well or better than their less efficient counterparts.



Our water droplet icon designates water efficient products that meet new CALGreen standards.

**Kitchen Faucets:** 1.8 gpm @ 60 psi flow rate versus Industry Standard ASME A112.18.1/CSA B125.1 of 2.2 gpm.

**Bath Faucets:** 1.5 gpm @ 60 psi flow rate versus Industry Standard ASME A112.18.1/CSA B125.1 of 2.2 gpm.

**Showerheads/Handshowers:** 2.0 gpm @ 80 psi flow rate versus Industry Standard ASME A112.18.1/CSA B125.1 of 2.5 gpm.

## Compliant with state and federal drinking water legislation



AB 1953 — California Health and Safety Code 116875 (AB 1953) was approved in California on September 30, 2006 in an attempt to reduce the amount of lead in drinking water. It was superseded on January 4, 2011 by the Reduction of Lead in Drinking Water Act. Known as the "Get the Lead Out" bill, this legislation (S. 3874) specifies that the weighted average lead content of pipes, fittings and fixtures used to convey drinking water cannot exceed 0.25% on wetted surfaces. (The previous national lead-free standard was 8.0%.) This new legislation will take effect on January 4, 2014. Products with this check mark designation already meet these standards.

# STYLE CONTINUUM

Classic.                  Organic.  
Trendy.                 Industrial.  
Festive.                 Respectful.  
Restrained.             Rebellious.

However you see your perfect kitchen or bath, there's a Brizo collection that will match—and enhance—your vision. Start your search by identifying the look you desire on our style continuum; on the next page, all Brizo collections are arranged on that continuum, from stately to modern.

There are no wrong answers when you're designing your dream. So open your eyes—and your mind—and follow your inspiration wherever it may lead.





## STATELY

The stately style draws inspiration from classical design periods to create an authentic, heavily ornate space. Natural materials, including marble and limestone, combine with woods in deep, rich tones, such as mahogany, to ground the style with a sense of history.



## TRADITIONAL

The traditional style taps into a sense of heritage and longevity, creating a comfortable, broken-in look reflective of years of use. Dark wood tones pair with matte and distressed finishes to create an aesthetic that's formal and decorative in nature, while still retaining a warm, handcrafted feel.



## CASUAL

The casual style is all about timeless design. Traditional, historic or vintage styles are given a fresh look with clean lines that defy aging. A de-emphasis of decoration and ornamentation keeps the focus on the simple sophistication of the design, and creates a comfortable, relaxed atmosphere.



## CONTEMPORARY

Minimalist and streamlined, the contemporary style seeks to create feelings of simplicity, harmony and balance. Clean lines and simple designs pair with sleek, streamlined hardware in stainless steel, polished nickel or chrome finishes. Light-grained woods and stone bring warmth to the space.



## MODERN

Simplicity is at the heart of what it means to be modern. Objects and spaces feature crisp, clean, minimalist lines with a decided geometric bent. Edges are more defined; everything is stripped down to its essence. Ultimately, the modern style is a celebration of the beauty to be found in man-made objects.

# BRIZO STYLE CONTINUUM

## KITCHEN



BALIZA® 26

Icons: SmartTouch® Technology, MagneDock® Technology, DIAMOND™ Seal Technology, Water Efficient, ADA Compliant, Compliant with state and federal drinking water legislation



TRESA® 50

Icons: Water Efficient, ADA Compliant, Compliant with state and federal drinking water legislation



TALO® 46

Icons: SmartTouch® Technology, MagneDock® Technology, DIAMOND™ Seal Technology, Water Efficient, ADA Compliant, Compliant with state and federal drinking water legislation



FLORIANO® 34

Icons: Water Efficient, ADA Compliant



BELO® 30

Icons: SmartTouch® Technology, MagneDock® Technology, DIAMOND™ Seal Technology, Water Efficient, ADA Compliant, Compliant with state and federal drinking water legislation



VUELO™ 58

Icons: SmartTouch® Technology, MagneDock® Technology, DIAMOND™ Seal Technology, Water Efficient, ADA Compliant, Compliant with state and federal drinking water legislation



VENUTO® 54

Icons: SmartTouch® Technology, MagneDock® Technology, Water Efficient, ADA Compliant, Compliant with state and federal drinking water legislation



SOLNA™ 42

Icons: SmartTouch® Technology, MagneDock® Technology, DIAMOND™ Seal Technology, Water Efficient, ADA Compliant, Compliant with state and federal drinking water legislation



LOKI® 38

Icons: Water Efficient, ADA Compliant, Compliant with state and federal drinking water legislation



POT FILLER 62

Icons: ADA Compliant, Compliant with state and federal drinking water legislation



BEVERAGE FAUCET 64

Icons: DIAMOND™ Seal Technology, Water Efficient, ADA Compliant, Compliant with state and federal drinking water legislation

SmartTouch® Technology

Water Efficient

ADA Compliant

MagneDock® Technology

2-Button, 4-Function Spray Wand

Compliant with state and federal drinking water legislation

DIAMOND™ Seal Technology

# BATH



BALIZA® 74



TRESA® 122



PROVIDENCE™ 98



WILLIAMSBURG™ CLASSIC 140



CHARLOTTE™ 80



RSVP® 110



VIRAGE® 134



VESI® 128



SIDERNA™ 116



LOKI® 86



QUIESSENCE® 104



ODIN™ 92



JASON WU FOR BRIZO™ 68

- SmartTouchPlus™ Technology
- TemplIQ™ Temperature Control Technology
- WaterSense Labeled
- ADA Compliant
- Compliant with state and federal drinking water legislation




## Judd Lord, Director of Industrial Design

A part of the Brizo team since its inception, Judd took over the reins of the industrial design team in 2000. His work has received hundreds of design patents and awards. He designed many of the Brizo brand's most successful product lines and was instrumental in laying out the groundwork for the Brizo brand portfolio, personally designing several of the initial marquee product suites. Lord holds an undergraduate degree in design engineering and a masters in product design.

*"Inspiration is what sustains you, keeps you going—and it's everywhere. Almost anything can provide that spark of an idea that takes your designs to a new place. It can be something as grand as a Renaissance cathedral, or as humble as a seashell. It can come from traveling to another country, or simply noticing the detailing on a staircase you use every day. The important thing is to keep an open mind and fully absorb what's in front of you...not only looking, but seeing."*


— Judd Lord





## Seth Fritz, Lead Industrial Designer

Inspired early on in life by Rube Goldberg, Seth knew he was born a designer. His enthusiasm for all things design leads him to view the world around him differently—much like Goldberg. A part of the Brizo team for 8 years, Fritz's strong background in consumer friendly design, market research, and creative problem solving has led to numerous successful products in the current Brizo catalog.



## Celine Kwok, Industrial Designer

Born and raised in Singapore, Celine worked as a graphic designer before coming to the U.S. to pursue a degree in furniture design. For the past 4 years, she has been happily working as an industrial designer for Brizo. Bringing a different culture and design background to the team, she is currently working on upcoming suites for the bath.



TWO YOUNG FASHION BRANDS.  
ONE SHARED AESTHETIC.

A PROJECT CEMENTING THEIR RELATIONSHIP,  
MERGING DESIGN AND TECHNOLOGY.

AN ASCENDING DESIGNER'S ENTRANCE  
INTO THE WORLD OF INTERIORS.

*THE DEFINITIVE STATEMENT ON  
"FASHION FOR THE HOME."*

Since 2006, Brizo has partnered with noted fashion designer Jason Wu, known for his timeless luxury and the craftsmanship of his designs. This partnership, which began with Brizo sponsoring Jason's fashion shows, has grown and evolved to include Brizo bringing guests to New York Fashion Week, using the designer's gowns in advertising campaigns, and now collaborating with him on a co-branded lavatory suite.

# JASON WU *for* BRIZO®

Jason debuted his first Ready-to-Wear Collection in 2006 with a unique and distinctive aesthetic. Through merging American sportswear with old world sophistication he established a supremely feminine and modern sensibility. His creations have since been beautifully showcased on Michelle Obama—including her Inauguration Ball dress—as well as numerous Hollywood stars.

"I have always found a woman's body to be especially beautiful ever since taking my first life drawing class as a teenager. I was drawn to fashion design as it is my passion to create garments that enhance and flatter the female form," explains Jason.

Since the first collection, Jason has been dedicated to making clothes that are as beautifully crafted inside as out. With the focus on couture quality craftsmanship, over 85% of Jason Wu's collections are manufactured in New York City's Garment District.



# A PERFECT *match*

It's tempting, in light of the Jason Wu for Brizo collection's unveiling, to assume this development was a foregone conclusion. After all, what could be more natural than two fashion labels, both known for their aesthetic sense, coming together and creating something so uniquely beautiful?


In fact, when Brizo and Jason first announced their partnership in 2006, a considerable degree of skepticism greeted both sides. How could an upstart faucet brand and a largely unknown fashion designer possibly benefit from working with each other? In retrospect, it's obvious—with this new collection being the most emphatic answer yet.

You can see the personalities of the two brands throughout. There's the bold, sophisticated matte black color. The gentle, flowing curves and baroque flower design that add softness and elegance. (As Jason explains, "You don't think of [softness] when you think of metal and faucets.") The way technology adds to the experience of using the faucet without being ostentatious. It's modern yet timeless, beautiful yet functional. In other words, it's the perfect summation of Brizo and Jason Wu's shared design sensibilities.

The perfect summation, too, of their shared history.



Since the two brands started working together, much has changed for both of them. Brizo continues its ascent in the world of interiors, introducing new products and technologies that don't just advance "state-of-the-art"—they redefine it. Jason, meanwhile, has seen his star reach an almost-supernova-level of intensity, as his designs have graced the figures of everyone from Natalie Portman to Michelle Obama.

Through all this change, one thing the two brands have had in common is each other. And it's this, as much as anything, that's made something like *Jason Wu for Brizo* possible.





*“Design impacts every  
aspect of our lives.”*  
— Jason Wu





# St. Jude Children's Research Hospital

---

## THE POWER OF DREAMS IS WITHOUT LIMIT.

It's this belief that unites us with St. Jude Children's Research Hospital, to realize the biggest dream of all: curing childhood cancer.

Houses for the St. Jude *Dream Home*® Giveaway are constructed across America using donated land, labor, materials and fixtures—including Brizo faucets for the kitchen and bath. Once completed, these houses are given away through an open-to-the-public raffle, with all ticket proceeds going to help fund the research and treatment efforts of St. Jude.

Since becoming a National Sponsor in 2010, Brizo has participated in 99 home giveaways, helping St. Jude raise nearly \$71 million—and helping countless children live out their dreams.

Today, the St. Jude *Dream Home* Giveaway is one of the largest single-event fundraisers for St. Jude nationwide and has raised more than \$250 million and given away almost 300 houses.

To learn more about the *Dream Home* Giveaway program, or to reserve a ticket online, visit

**[stjude.org/dreamhome](http://stjude.org/dreamhome)**  
**[brizo.com/stjude](http://brizo.com/stjude)**

*Photo by Weston Neuschafer Photography*



# *St. Jude Dream Home<sup>®</sup>*

## *Giveaway*







# DREAM. KITCHEN.

You feel a new sense of grace in the kitchen. Cooking becomes less of a chore and more of a dance. It's choreography. You're in a performance, with your dinner party guests as the audience.

A photograph of a white, weathered lighthouse with a red lantern room, situated on a rocky shore. The lighthouse is the central focus, with its white paint peeling in places. The sky is filled with dramatic, dark clouds, and a warm, golden light from the setting or rising sun is visible on the horizon, creating a silhouette effect on the distant land. The foreground consists of large, grey, jagged rocks.

---

TIMELESS  
MEETS  
*modern*



**BALIZA<sup>®</sup>**

*“The classical, timeless beauty of a lighthouse is also functional: it serves as a beacon, a guide. And for us, it was a guide towards a new visual direction—something no one else had done.”*

*– Judd Lord*






A



# INSPIRED. STATELY. ILLUMINATING.

*a beacon for the kitchen.*

Drawing inspiration from the beauty of lighthouses, Baliza effortlessly combines the timeless and the modern. Wrapped around its classical form is cutting-edge innovation, including a two-button, four-function pull-out wand that remains securely locked with MagneDock® Technology. Baliza is the first Brizo® pull-out or pull-down kitchen faucet to allow water volume to be controlled from the wand.



A. SINGLE-HANDLE PULL-OUT 63005LF-RB  
Height: 11<sup>17</sup>/<sub>32</sub>" Reach: 9<sup>17</sup>/<sub>32</sub>" Flow: 1.8 gpm @ 60 psi  
SOAP/LOTION DISPENSER WITH TRIM RING RP50274RB

B. SINGLE-HANDLE PULL-OUT 63005LF-PN  
Height: 11<sup>17</sup>/<sub>32</sub>" Reach: 9<sup>17</sup>/<sub>32</sub>" Flow: 1.8 gpm @ 60 psi  
OPTIONAL 10" ESCUTCHEON RP50271PN

C. BRASS BUD VASE WITH TRIM RING RP50277PN

D. AIR GAP 72020-PN

E. TOWEL HOOK WITH TRIM RING RP50279PN

F. DISPOSAL FLANGE & STOPPER 72030-PN

G. KITCHEN FLANGE & BASKET STRAINER 72010-PN

AVAILABLE FINISHES:

**NEW**



POLISHED CHROME  
(PC)



BRILLIANCE® STAINLESS  
(SS)



BRILLIANCE®  
POLISHED NICKEL (PN)



VENETIAN BRONZE®  
(RB)



BRILLIANCE®  
BRUSHED BRONZE (BZ)



# A TRUE WORK *of art*

---



**BELO®**

*"Belo began life not as a faucet, but as a sculpture. The more we worked with it, the more we loved the way it tied together the worlds of fashion and nature. That's the fascinating thing about the creative process: you never know where it will start—or end."*

*— Judd Lord*




A



# SINGULAR. FLOWING. SEDUCTIVE.

*instant attraction.*

A true work of art, Belo features a design as much sculpture as faucet. Its elegant, sweeping form is paired with a two-button, four-function pull-down wand that attaches with MagneDock® Technology.



A. SINGLE-HANDLE PULL-DOWN 63052LF-PC  
Height: 15" Reach: 9 1/2" Flow: 1.8 gpm @ 60 psi  
BRASS BUD VASE WITH TRIM RING RP49587PC

B. SINGLE-HANDLE PULL-DOWN 63052LF-PC  
Height: 15" Reach: 9 1/2" Flow: 1.8 gpm @ 60 psi  
SOAP/LOTION DISPENSER RP49589PC

C. SINGLE-HANDLE PULL-DOWN BAR/PREP 63952LF-PC  
Height: 13 1/2" Reach: 6 1/2" Flow: 1.8 gpm @ 60 psi

D. OPTIONAL 10.5" ESCUTCHEON RP49588PC

E. BRASS BUD VASE WITH TRIM RING RP49587PC

F. AIR GAP 72020

G. BAR/PREP FLANGE & STRAINER 72011

H. DISPOSAL FLANGE & STOPPER 72030

I. KITCHEN FLANGE & BASKET STRAINER 72010

AVAILABLE FINISHES:



POLISHED CHROME  
(PC)



BRILLIANCE® STAINLESS  
(SS)

---

IN MY  
GARDEN

*I am the only  
flower*






## FLORIANO®

*"Floriano is unique in that it incorporates two distinct interpretations of a flower. The spout was inspired by a drooping tulip. The handle tells a brighter story: it's reminiscent of a flower coming alive, unfurling in the early morning light."*

*— Judd Lord*



A



# FRESH. ORGANIC. FLAWLESS.

*the shape of nature.*

The organic properties of this visionary design allow Floriano to meld with a range of kitchen styles. It features a pull-down two-function wand with ergonomic toggle switch and a unique twist-and-lock mechanism to hold the wand in place.



A. SINGLE-HANDLE PULL-DOWN 63500-SS  
Height: 14<sup>3</sup>/<sub>4</sub>" Reach: 8<sup>1</sup>/<sub>4</sub>" Flow: 1.8 gpm @ 60 psi  
FROSTED GLASS BUD VASE WITH TRIM RING RP41510SS

B. SINGLE-HANDLE PULL-DOWN 63500-SS  
Height: 14<sup>3</sup>/<sub>4</sub>" Reach: 8<sup>1</sup>/<sub>4</sub>" Flow: 1.8 gpm @ 60 psi  
SOAP/LOTION DISPENSER RP40581SS

C. SINGLE-HANDLE PULL-DOWN BAR/PREP 63510-SS  
Height: 13<sup>5</sup>/<sub>8</sub>" Reach: 6<sup>1</sup>/<sub>4</sub>" Flow: 1.8 gpm @ 60 psi

D. OPTIONAL 10" ESCUTCHEON RP40094SS

E. BRASS BUD VASE WITH TRIM RING RP41508SS

F. AIR GAP 72020-SS

G. BAR/PREP FLANGE & STRAINER 72011-SS

H. DISPOSAL FLANGE & STOPPER 72030-SS

I. KITCHEN FLANGE & BASKET STRAINER 72010-SS

AVAILABLE FINISHES:



POLISHED CHROME  
(PC)



BRILLIANCE® STAINLESS  
(SS)

---

# TECHNOLOGY IN *motion*






**LOKI®**

*“Brizo has always lived at the intersection of art and technology, but Loki takes that relationship and makes it manifest in its very appearance. The way the levers work mimics high-end stereos—and indeed, they wouldn’t look out of place there.”*

*– Judd Lord*




A



# CLEAN. CONTEMPORARY. CALCULATED.

*a brilliant deception.*

An example of innovative Scandinavian design, the graceful curve of the spout leaps from the flat platform to give Loki a dramatic look. With every slide of the unique handle system, the user is engaged in a modern sculpture. Loki is the proud winner of the RedDot award for product design.



A. TWO-HANDLE BAR/PREP 62972LF-SS  
Height: 11<sup>5</sup>/<sub>8</sub>" Reach: 8<sup>3</sup>/<sub>16</sub>" Flow: 1.8 gpm @ 60 psi

B. AIR GAP 72020-SS

C. BAR/PREP FLANGE & STRAINER 72011-SS

D. DISPOSAL FLANGE & STOPPER 72030-SS

E. KITCHEN FLANGE & BASKET STRAINER 72010-SS

## AVAILABLE FINISHES:



POLISHED CHROME  
(PC)




BRILLIANCE® STAINLESS  
(SS)

---

# THE SOUL OF SCANDINAVIAN *design*






**SOLNA™**

*"I was obsessed with Scandinavian design—specifically furniture—which is so effortlessly stylish in a minimalist, functional way. And I love how it often has details that surprise and delight, which is exactly what Solna's hidden pull-down wand does."*

*— Seth Fritz*



A



## SLEEK. STYLISH. SCANDINAVIAN.

*a northern accent.*

Inspired by contemporary Scandinavian furniture, the Solna collection's crisp lines and beautifully simple form deliver the sleekest Brizo kitchen to date. Both the kitchen and bar/prep models feature a new, completely "hidden" pull-down spray wand held in place with MagneDock® Technology. Available SmartTouch® Technology activates water flow with a touch anywhere on the faucet spout or handle.



### A. SINGLE-HANDLE PULL DOWN 63020LF-PC

Height: 15<sup>11</sup>/<sub>16</sub>" Reach: 9<sup>3</sup>/<sub>32</sub>" Flow: 1.8 gpm @ 60 psi

### B. SINGLE-HANDLE PULL-DOWN WITH SmartTouch® TECHNOLOGY

64020LF-MW Height: 16<sup>3</sup>/<sub>32</sub>" Reach: 9<sup>3</sup>/<sub>32</sub>" Flow: 1.8 gpm @ 60 psi

### C. AVAILABLE SmartTouch® TECHNOLOGY

### D. HIDDEN PULL-DOWN WAND WITH MAGNEDOCK® TECHNOLOGY

### E. SINGLE-HANDLE PULL-DOWN BAR/PREP WITH SmartTouch® TECHNOLOGY

64920LF-PC Height: 12<sup>7</sup>/<sub>16</sub>" Reach: 7<sup>1</sup>/<sub>16</sub>" Flow: 1.8 gpm @ 60 psi;  
(available without SmartTouch® 63920LF-PC)

### F. OPTIONAL 10" ESCUTCHEON RP71451

### G. AIR GAP 72020

### H. DISPOSAL FLANGE & STOPPER 72030

### I. KITCHEN FLANGE & STRAINER 72010

### J. SOAP/LOTION DISPENSER RP1001

### AVAILABLE FINISHES:



POLISHED CHROME  
(PC)



BRILLIANCE® STAINLESS  
(SS)



BRILLIANCE®  
BRUSHED BRONZE (BZ)



MATTE WHITE  
(MW)



MATTE BLACK  
(BL)



---

**A NATURALLY  
INSPIRED**  
*silhouette*



**TALO®**

*"It all started with us imagining ourselves in a beautiful arts garden. From there, we settled on the image of a bluebell flower, and that visual was the inspirational fuel we needed to really begin the sketching process."*

*— Judd Lord*



A



# GIFTED. GRACEFUL. MAGNETIC.

*naturally beautiful.*

Talo features a distinctive, nature-inspired silhouette. This graceful form is married to a wealth of advanced functionality, including a two-button, four-function spray wand, and MagneDock® Technology magnetic docking system. Available SmartTouch® Technology activates water flow with a touch anywhere on the faucet spout or handle.



**A. SINGLE-HANDLE PULL-DOWN WITH SmartTouch® TECHNOLOGY**  
64003LF-PC Height: 15<sup>29</sup>/<sub>32</sub>" Reach: 8<sup>7</sup>/<sub>16</sub>" Flow: 1.8 gpm @ 60 psi  
SOAP/LOTION DISPENSER WITH TRIM RING RP50274

**B. SINGLE-HANDLE PULL-DOWN FAUCET** 63003LF-PC  
Height: 15<sup>29</sup>/<sub>32</sub>" Reach: 8<sup>7</sup>/<sub>16</sub>" Flow: 1.8 gpm @ 60 psi  
SOAP/LOTION DISPENSER WITH TRIM RING RP50274

**C. SINGLE-HANDLE PULL-DOWN BAR/PREP WITH SmartTouch® TECHNOLOGY** 64903LF-PC  
Height: 14<sup>7</sup>/<sub>8</sub>" Reach: 6<sup>19</sup>/<sub>64</sub>" Flow: 1.8 gpm @ 60 psi  
(available without SmartTouch® 63903LF-PC)

**D. BRASS BUD VASE WITH TRIM RING** RP50277

**E. AVAILABLE SmartTouch® TECHNOLOGY**

**F. TOWEL HOOK WITH TRIM RING** RP50279

**G. AIR GAP** 72020

**H. BAR/PREP FLANGE & STRAINER** 72011

**I. DISPOSAL FLANGE & STOPPER** 72030

**J. KITCHEN FLANGE & BASKET STRAINER** 72010

**K. OPTIONAL 10" ESCUTCHEON** RP60281PC  
(NOTE: Not for use with SmartTouch models)

AVAILABLE FINISHES:

**NEW**



POLISHED CHROME  
(PC)



BRILLIANCE®  
POLISHED NICKEL (PN)



VENETIAN BRONZE®  
(RB)



BRILLIANCE® STAINLESS  
(SS)



BRILLIANCE®  
BRUSHED BRONZE (BZ)



TRADITION  
IS  
*timeless*

---



**TRESA®**

*"Sometimes, being forward-thinking involves looking to the past. In Tresa's case, we found inspiration in the Victorian era, the late 1800s. We wanted something that was historically correct—but incorporated modern Brizo innovations."*

*— Judd Lord*






A



# ELEGANT. MODERN. ENDURING.

*bridging past and present.*

The Tresa collection reunites us with the past by taking design elements from the earliest of European fountains. Its traditional yet timeless styling, enhanced by a simple bend in the neck, makes it a welcome presence in almost any kitchen.



A. TWO-HANDLE BRIDGE WITH SIDE SPRAY 62536LF-RB  
Height: 10<sup>21</sup>/<sub>32</sub>" Reach: 9<sup>27</sup>/<sub>32</sub>" Flow: 1.8 gpm @ 60 psi

B. SINGLE-HANDLE 61036LF-PN  
Height: 13<sup>3</sup>/<sub>16</sub>" Reach: 9" Flow: 1.8 gpm @ 60 psi

C. TWO-HANDLE KITCHEN 62036LF-PN  
Height: 13<sup>3</sup>/<sub>16</sub>" Reach: 9" Flow: 1.8 gpm @ 60 psi

D. 7" TWO-HANDLE WALL MOUNT 65836LF-PN  
Reach: 7" Flow: 1.8 gpm @ 60 psi

E. TWO-HANDLE BRIDGE, BAR/PREP 62636LF-PN  
Height: 11<sup>15</sup>/<sub>16</sub>" Reach: 6<sup>3</sup>/<sub>8</sub>" Flow: 1.8 gpm @ 60 psi

F. TWO-HANDLE BAR/PREP 62936LF-PN  
Height: 11<sup>1</sup>/<sub>2</sub>" Reach: 6<sup>3</sup>/<sub>8</sub>" Flow: 1.8 gpm @ 60 psi

G. SOAP/LOTION DISPENSER RP61024PN

H. BRASS BUD VASE WITH TRIM RING RP61026PN

I. OPTIONAL 10" ESCUTCHEON RP61020PN

J. AIR GAP 72020-PN

K. BAR/PREP FLANGE & STRAINER 72011-PN

L. DISPOSAL FLANGE & STOPPER 72030-PN

M. KITCHEN FLANGE & BASKET STRAINER 72010-PN

## AVAILABLE FINISHES:



POLISHED CHROME  
(PC)



BRILLIANCE® POLISHED  
NICKEL (PN)



VENETIAN BRONZE®  
(RB)



BRILLIANCE®  
STAINLESS (SS)



BRILLIANCE®  
BRUSHED BRONZE (BZ)

---

BEAUTIFUL  
AND  
*functional*






**VENUTO®**

*“Venuto was actually inspired by a trip to a Milan sake bar. I was surrounded by beautiful Japanese women, all of whom wore these hair sticks that I was immediately taken with—they were the epitome of simplicity and elegance.”*

*— Judd Lord*



A



# STRONG. CALM. SOPHISTICATED.

*a welcome change.*

The Venuto collection was designed under the philosophy that a faucet should be both beautiful and functional. The strong lines and geometric appearance become a focal point in any kitchen. And with our available SmartTouch® Technology, it brings a new level of safety and convenience to the kitchen, allowing you to control water flow with just a simple touch.



A. SINGLE HANDLE PULL DOWN WITH SmartTouch® TECHNOLOGY  
64070LF-PC Height: 15 1/2" Reach: 9 1/2" Flow: 1.8 gpm @ 60 psi

B. AVAILABLE SmartTouch® TECHNOLOGY

C. SINGLE-HANDLE PULL-DOWN 63070LF-BLST  
Height: 15 1/2" Reach: 9 1/2" Flow: 1.8 gpm @ 60 psi

D. SINGLE-HANDLE PULL-DOWN BAR/PREP WITH SmartTouch® TECHNOLOGY  
64970LF-SS Height: 14 1/2" Reach: 6 1/2" Flow: 1.8 gpm @ 60 psi  
(available without SmartTouch® 63970LF-SS)

E. BRASS BUD VASE WITH TRIM RING RP42879SS

F. FROSTED GLASS BUD VASE WITH TRIM RING  
RP42880SS

G. SOAP/LOTION DISPENSER RP42878SS

H. DISPOSAL FLANGE & STOPPER 72030-SS

I. KITCHEN FLANGE & BASKET STRAINER  
72010-SS

J. OPTIONAL 10" ESCUTCHEON RP42867SS  
(NOTE: Not for use with SmartTouch models)

K. AIR GAP 72020-SS

L. BAR/PREP FLANGE & STRAINER 72011-SS

## AVAILABLE FINISHES:



POLISHED CHROME  
(PC)



BRILLIANCE® STAINLESS  
(SS)



MATTE BLACK WITH  
SOFT-TOUCH® (BLST)  
Non-Touch Models Only




BRILLIANCE® STAINLESS  
WITH SOFT-TOUCH® (SSST)  
Non-Touch Models Only



---

# A DEPARTURE FROM THE *ordinary*



**VUELO™**

*“Vuelo was a sculptural swan given a purpose. The original sketches consisted of curved, expressive lines that only hint at the swan form—that’s what was so intriguing to us.”*

*– Judd Lord*



A



# SOARING. SWEEPING. SCINTILLATING.

*luxury takes flight.*

Taking its design inspiration from a swan, Vuelo forms a graceful, majestic silhouette—one that is only enhanced with our new Cocoa Bronze/Stainless Steel split finish. With a wide variety of configurations, including the only Brizo high-rise pull-out design, as well as optional SmartTouch® Technology, Vuelo is a true departure from the ordinary.



**A. SINGLE-HANDLE PULL DOWN** 63055LF-SSCO  
Height: 16¼" Reach: 10¼" Flow: 1.8 gpm @ 60 psi

**B. SINGLE-HANDLE PULL DOWN WITH SmartTouch® TECHNOLOGY**  
64355LF-SSCO Height: 16¾" Reach: 10¼" Flow: 1.8 gpm @ 60 psi

**C. SINGLE-HANDLE WATERFALL** 61055LF-SSCO  
Height: 15¾" Reach: 10¾" Flow: 1.8 gpm @ 60 psi  
(available with SmartTouch® 64055LF-SSCO)

**D. SINGLE-HANDLE HIGH-ARC PULL-OUT**  
63255LF-SSCO Height: 16¼" Reach: 12" Flow: 1.8 gpm @ 60 psi  
(available with SmartTouch® 64255LF-SSCO)

**E. AVAILABLE SmartTouch® TECHNOLOGY**

**F. BUD VASE** RP64474SSCO

**G. SOAP DISPENSER** RP64473SSCO

**H. SIDE SPRAYER** RP64692SSCO

**I. SINGLE-HANDLE PULL-DOWN BAR/PREP WITH SmartTouch® TECHNOLOGY** 64955LF-SSCO  
Height: 15½" Reach: 7½" Flow: 1.8 gpm @ 60 psi  
(available without SmartTouch® 63955LF-SSCO)

**J. OPTIONAL 10" ESCUTCHEON** RP64475SSCO

**K. AIR GAP** 72020-SS

**L. BAR/PREP FLANGE & STRAINER** 72011-SS

**M. DISPOSAL FLANGE & STOPPER** 72030-SS

**N. KITCHEN FLANGE & BASKET STRAINER** 72010-SS

## AVAILABLE FINISHES:



POLISHED CHROME  
(PC)



BRILLIANCE® STAINLESS  
(SS)



STAINLESS STEEL/COCOA BRONZE  
(SSCO)

A



**EASY. EFFICIENT.**  
**EXQUISITE.**  
*the perfect complement.*

Traditional Pot Filler and Euro Pot Filler faucets make it easy to fill large cooking vessels quickly—and without the walk from sink to stove. A choice of wall or deck mounting ensures a solution for every space, while the classic or contemporary handle styling complements any kitchen décor.



- A. TRADITIONAL DECK MOUNT 62710LF-SS  
 Height: 17" Reach: 20½" Flow: 4 gpm @ 60 psi
- B. EURO DECK MOUNT 62720LF-PC  
 Height: 17" Reach: 20½" Flow: 4 gpm @ 60 psi
- C. EURO WALL MOUNT 62820LF-PC  
 Reach: 23¼" Flow: 4 gpm @ 60 psi
- D. TRADITIONAL WALL MOUNT 62810LF-PC  
 Reach: 23¼" Flow: 4 gpm @ 60 psi

#### AVAILABLE FINISHES:



POLISHED CHROME  
(PC)



BRILLIANCE® STAINLESS  
(SS)



BRILLIANCE®  
 POLISHED NICKEL (PN)  
 Traditional only



VENETIAN BRONZE®  
(RB)



BRILLIANCE®  
 BRUSHED BRONZE (BZ)



A



# PURE. SINGULAR. SUPERIOR.

*true dedication.*

Brizo Traditional and Euro Beverage faucets are the ideal partners for your water filtration system, R/O system, or as a cold water tap. And with a choice of classical or contemporary styling—ensuring they coordinate seamlessly with all Brizo kitchen faucets—they're ideal partners for your décor, as well.



A. EURO BEVERAGE FAUCET 61320LF-PC  
Height: 8" Reach: 5" Flow: 1.5 gpm @ 60 psi

B. TRADITIONAL BEVERAGE FAUCET 61310LF-PC  
Height: 7<sup>15</sup>/<sub>16</sub>" Reach: 5" Flow: 1.5 gpm @ 60 psi

C. AIR GAP 72020

D. BAR/PREP FLANGE & STRAINER 72011

E. DISPOSAL FLANGE & STOPPER 72030

F. KITCHEN FLANGE & BASKET STRAINER 72010

## AVAILABLE FINISHES:



POLISHED CHROME  
(PC)



BRILLIANCE® STAINLESS  
(SS)



BRILLIANCE®  
POLISHED NICKEL (PN)  
Traditional only



VENETIAN BRONZE®  
(RB)  
Traditional only





BRILLIANCE®  
BRUSHED BRONZE (BZ)  
Traditional only





# DREAM. BATH.

A twist on the familiar. A zag where the rest of the world zigs. You are not bound by the ties of convention, because you see the world differently. And in this world, fashion and beauty are never out of place.






## JASON WU FOR BRIZO™

*"Fashion isn't just about the clothes. It's a lifestyle."*

– Jason Wu



A



B



C



D




E



## FASHION-FORWARD MEETS FORWARD THINKING

*a study in contrast.*

Introducing Jason Wu for Brizo. This exclusive bath collection features the aesthetic sense of a renowned fashion designer, coupled with the design and innovation that could only come from Brizo—including the next generation of Brizo's revolutionary SmartTouch® Technology. SmartTouch<sup>Plus</sup>™ adds proximity sensing to our existing touch technology, allowing for both hands-free and touch-sensitive operation.



A. SINGLE-HANDLE, SINGLE-HOLE ELECTRONIC LAVATORY  
65675LF-BL Height: 9 1/8" Reach: 4 3/4" Flow: 1.5 gpm @ 60 psi

B. TWO-HANDLE WIDESPREAD LAVATORY 65375LF-BL  
Height: 9" Reach: 4 3/4" Flow: 1.5 gpm @ 60 psi

C. SINGLE-HANDLE, SINGLE-HOLE ELECTRONIC VESSEL  
65475LF-BL Height: 13 1/8" Reach: 4 3/4" Flow: 1.5 gpm @ 60 psi

D. WALL MOUNT LAVATORY 65875LF-BL  
Reach: 8 1/2" Flow: 1.5 gpm @ 60 psi

E. BIDET 68475-BL

F. SmartTouch<sup>Plus</sup>™ TECHNOLOGY  
(available on the Single-handle, Single-hole Electronic Lavatory  
and Electronic Vessel faucets)

G. ROMAN TUB WITH HANDSHOWER T67475-BL  
Height: 11 1/2" Reach: 9" Flow: 18.5 gpm @ 60 psi  
4 hole rough R64707  
ROMAN TUB (not shown) T67375-BL 3 hole rough R62707

H. WASTEBASKET 699060-BL

I. FREESTANDING SOAP PUMP 695360-PC

J. SIDE MOUNT TANK LEVER 696260-PC

K. SOAP DISH 695560-PC

L. TOWEL RING 694660-PC

M. THERMOSTATIC TUB/SHOWER T60475-BL  
Showerhead Flow: 2.0 gpm @ 80 psi;  
MultiChoice® Universal Rough R60000-UNBX

N. FRONT MOUNT TANK LEVER 696060-PC

O. TISSUE HOLDER 695060-PC

P. DRAWER PULL 699160-PC

Q. DRAWER KNOB 699260-BL

R. GLASS SHELF 691060-BL

S. 18" TOWEL BAR 691860-PC

AVAILABLE FINISHES:



MATTE BLACK  
(BL)



MATTE BLACK/  
POLISHED CHROME (PC)  
Accessories only



MATTE BLACK/  
BRUSHED NICKEL (BN)  
Accessories only



A. RAINCAN SHOWERHEAD WITH H<sub>2</sub>OKINETIC® TECHNOLOGY  
87375-BL; Shower Arm with Flange RP71648BL

D. BODY SPRAY WITH H<sub>2</sub>OKINETIC® TECHNOLOGY T84101-BL;  
Rough R84101

B. 6-FUNCTION DIVERTER TRIM T60975-BL;  
Diverter Rough R60700

C. TEMPASSURE® THERMOSTATIC VALVE TRIM T60075-BL;  
MultiChoice® Universal Rough R60000-UNBX



A. RAINCAN SHOWERHEAD WITH H<sub>2</sub>OKINETIC® TECHNOLOGY  
87375-BL; Shower Arm with Flange RP71648BL

B. SLIDEBAR HANDSHOWER WITH H<sub>2</sub>OKINETIC® TECHNOLOGY  
88775-BL

C. SENSORI® VOLUME CONTROL TRIM T66675-BL;  
Sensori® Volume Control Rough R66600

D. SENSORI® THERMOSTATIC VALVE TRIM T66T075-BL;  
Sensori® Thermostatic Valve Rough R66000-WS

E. TOUCH-CLEAN® BODY SPRAY 84110-BL

A full-page photograph of a lighthouse on a rocky island at sunset. The lighthouse is white with black horizontal bands and a black top section. It has a small window and a door. The base is made of stone steps. The lighthouse is surrounded by dark rocks and the sea. The sky is a mix of orange, yellow, and blue. The water is calm, reflecting the light from the lighthouse and the sky. The overall mood is peaceful and serene.

---

A STUNNINGLY  
FRESH  
*perspective*



## BALIZA<sup>®</sup>

*“Baliza is all about ‘new traditional’—that is, taking traditional architecture and tweaking it, redefining it. In this case, that meant embracing a more petite form, especially at a time when ‘traditional’ seemed to be synonymous with ‘bulky.’”*

*— Judd Lord*



A



B



C







D



# INSPIRED. STATELY. ILLUMINATING.

*a beacon for the bath.*

Drawing inspiration from the timeless beauty of lighthouses, the Baliza bath collection features a unique architecture and simple, elegant lines. The result is a stunningly fresh perspective on a warm, traditional feel.



A. SINGLE-HANDLE, SINGLE-HOLE LAVATORY 65005LF-RB  
Height: 7<sup>13</sup>/<sub>32</sub>" Reach: 5<sup>5</sup>/<sub>16</sub>" Flow: 1.5 gpm @ 60 psi

B. WIDESPREAD LAVATORY 65305LF-RBLHP  
Height: 6<sup>1</sup>/<sub>2</sub>" Reach: 5<sup>5</sup>/<sub>16</sub>" Flow: 1.5 gpm @ 60 psi  
LEVER HANDLES HL505-RB

C. MINI WIDESPREAD LAVATORY 65505LF-RBLHP  
Height: 6<sup>1</sup>/<sub>4</sub>" Reach: 5<sup>1</sup>/<sub>16</sub>" Flow: 1.5 gpm @ 60 psi  
LEVER HANDLES HL505-RB

D. SINGLE-HANDLE VESSEL LAVATORY 65105LF-RB  
Height: 12<sup>3</sup>/<sub>4</sub>" Reach: 5<sup>5</sup>/<sub>16</sub>" Flow: 1.5 gpm @ 60 psi

E. LAVATORY LEVER HANDLES HL505-RB  
ROMAN TUB LEVER HANDLES (not shown) HL605-RB

F. LAVATORY CROSS HANDLES HX505-RB  
ROMAN TUB CROSS HANDLES (not shown) HX605-RB

G. ROMAN TUB WITH HANDSHOWER T67405-RBLHP  
Height: 7<sup>25</sup>/<sub>64</sub>" Reach: 8<sup>15</sup>/<sub>16</sub>" Flow: 18.5 gpm @ 60 psi  
4-hole rough R64707; CROSS HANDLES HX605-RB  
ROMAN TUB (not shown) T67305-RBLHP, 3-hole rough R62707

H. 4" ESCUTCHEON RP61619RB

I. TOWEL RING 69546-RB

J. DOUBLE ROBE HOOK 69535-RB

K. FRONT MOUNT FLUSH LEVER 69561-RB

L. SIDE MOUNT FLUSH LEVER 69562-RB

M. THERMOSTATIC TUB/SHOWER T60405-RB  
Showerhead Flow: 2.0 gpm @ 80 psi  
MultiChoice® Universal Rough R60000-UNBX

N. TISSUE HOLDER 69550-RB

O. BIDET 68405-RBLHP  
LEVER HANDLES HL505-RB

P. 18" TOWEL BAR 69518-RB  
24" TOWEL BAR (not shown) 69524-RB

Q. 24" DOUBLE TOWEL BAR 69525-RB

## AVAILABLE FINISHES:



POLISHED CHROME  
(PC)



BRILLIANCE® POLISHED  
NICKEL (PN)



VENETIAN BRONZE®  
(RB)



BRILLIANCE®  
BRUSHED NICKEL (BN)



BRILLIANCE®  
BRUSHED BRONZE (BZ)



A. RAINCAN SHOWERHEAD WITH H<sub>2</sub>OKINETIC® TECHNOLOGY  
87305-BN; 7" Shower Arm with Flange RP62929BN

B. WALL MOUNT HANDSHOWER 85810-BN

C. TOUCH-CLEAN® BODY SPRAYS 84110-BN

D. 6-FUNCTION DIVERTER TRIM T60905-BN; Diverter Rough R60700

E. TEMPASSURE® THERMOSTATIC VALVE TRIM T60005-BN;  
MultiChoice® Universal Rough R60000-UNBX



A. 12" CEILING MOUNT RAINCAN SHOWERHEAD 83310-PC;  
6" Ceiling Mount Shower Arm and Flange RP48985PC

B. RAINCAN SHOWERHEAD WITH H<sub>2</sub>OKINETIC® TECHNOLOGY  
87305-PC; 7" Shower Arm and Flange RP62929PC

C. WALL MOUNT HANDSHOWER 85810-PC

D. BODY SPRAYS WITH H<sub>2</sub>OKINETIC® TECHNOLOGY T84101-PC;  
Rough R84101

E. SENSORI® VOLUME CONTROL TRIM T66605-PC;  
Sensori® Volume Control Rough R66600


F. SENSORI® THERMOSTATIC VALVE TRIM T66T005-PC;  
Sensori® Thermostatic Valve Rough R66000-WS



**A MOVEMENT  
BECOMES**  
*a statement*

---





## CHARLOTTE™

*“Charlotte’s genesis came from us being immersed in Art Deco. We were studying everything from iconic skyscrapers and hotels to smaller, domestic items like flatware—which actually ended up being the main inspiration behind the handle blades.”*

– Judd Lord



A



B



C



D



**OPULENT. POISED.**  
**POETIC.**  
*artful indulgence.*

Charlotte infuses clean lines with classical elegance, deftly bridging the gap between traditional and modern design. The first collection available with our new Cocoa Bronze finish, the single-hole electronic lavatory features SmartTouch<sup>Plus</sup>™ Technology (allowing hands-free and touch activation), as well as TempIQ™, Brizo's new temperature-sensing technology. The Charlotte Collection's bold symmetry and sumptuous details add an instant sophistication to any bath.



A. WIDESPREAD LAVATORY 65385LF-PNCOLHP  
Height: 7<sup>3</sup>/<sub>8</sub>" Reach: 5" Flow: 1.5 gpm @ 60 psi  
LAVATORY/BIDET HANDLES HL5385-PNCO

B. ELECTRONIC LAVATORY WITH SmartTouch<sup>Plus</sup>™  
AND TEMPIQ™ TECHNOLOGIES 65685LF-PNCO  
Height: 7<sup>3</sup>/<sub>8</sub>" Reach: 5" Flow: 1.5 gpm @ 60 psi

C. DECK MOUNT VESSEL LAVATORY 65485LF-PNCOLHP  
Height: 12<sup>3</sup>/<sub>4</sub>" Reach: 5" Flow: 1.5 gpm @ 60 psi  
VESSEL LAVATORY HANDLES HL5485-PNCO

D. WALL MOUNT LAVATORY 65885LF-PNCOLHP  
Reach: 8<sup>1</sup>/<sub>4</sub>" Flow: 1.5 gpm @ 60 psi  
WALL MOUNT LAVATORY HANDLES HL5885-PNCO

E. TOWEL RING 694685-PNCO

F. SINGLE LIGHT SCONCE 697085-PNCO

G. 18" TOWEL BAR 691885-PNCO  
24" TOWEL BAR (not shown) 692485-PNCO

H. THERMOSTATIC TUB/SHOWER T60485-PNCO  
Showerhead Flow: 2.0 gpm @ 80 psi;  
MultiChoice® Universal Rough R60000-UNBX

I. DOUBLE ROBE HOOK 693585-PNCO

J. SIDE MOUNT FLUSH LEVER 696285-PNCO

K. FRONT MOUNT FLUSH LEVER 696085-PNCO

L. TISSUE HOLDER 695085-PNCO

M. 24" DOUBLE TOWEL BAR 692585-PNCO

N. MIRROR 698085-PNCO

O. ROMAN TUB WITH HANDSHOWER T67485-PNCOLHP  
Height: 9<sup>1</sup>/<sub>8</sub>" Reach: 9" Flow: 18.5 gpm @ 80 psi  
4-hole rough R64707; ROMAN TUB HANDLES HL685-PNCO  
ROMAN TUB (not shown) T67385-PNCOLHP; 3-hole rough R62707

P. BIDET 68485-PNCOLHP  
LAVATORY/BIDET HANDLES HL5385-PNCO

AVAILABLE FINISHES:



POLISHED CHROME  
(PC)



BRILLIANCE® POLISHED  
NICKEL (PN)



BRILLIANCE®  
BRUSHED NICKEL (BN)



COCOA BRONZE™ WITH  
POLISHED NICKEL (PNCO)



A. RAINCAN SHOWERHEAD WITH H<sub>2</sub>OKINETIC® TECHNOLOGY  
87385-PN; 8" Shower Arm and Flange RP70909PN

B. 6-FUNCTION DIVERTER TRIM T60985-PN;  
Diverter Rough R60700

C. TEMPASSURE® THERMOSTATIC VALVE TRIM T60085-PN;  
MultiChoice® Universal Rough R60000-UNBX

D. SLIDE BAR HANDSHOWER 85785-PN

E. BODY SPRAYS WITH H<sub>2</sub>OKINETIC® TECHNOLOGY T84101-PN;  
Rough R84101



A. CEILING MOUNT RAINCAN SHOWERHEAD  
WITH H<sub>2</sub>OKINETIC® TECHNOLOGY 81385-PNCO;  
6" Ceiling Mount Shower Arm and Flange RP48985PN

B. RAINCAN SHOWERHEAD WITH H<sub>2</sub>OKINETIC® TECHNOLOGY  
87385-PNCO; 8" Shower Arm and Flange RP70909PN

C. TOUCH-CLEAN® BODY SPRAYS 84110-PN

D. WALL MOUNT HANDSHOWER 85885-PNCO

E. SENSORI® VOLUME CONTROL TRIM T66685-PNCO;  
Sensori® Volume Control Rough R66600

F. SENSORI® THERMOSTATIC VALVE TRIM T66T085-PNCO;  
Sensori® Thermostatic Valve Rough R66000-WS

# A MISCHIEVOUS *secret*

---






**LOKI®**

*“The 90s were an interesting decade when it came to style trends. A big emphasis was placed on art and technology—and the combination of those worlds. Sliding doors on things like stereo equipment were in vogue, and that concept extends to the sliding handles on Loki.”*

*– Judd Lord*



A



# CLEAN. CONTEMPORARY. CALCULATED.

*a brilliant deception.*

Inspired by Scandinavian design, Loki pairs a graceful arc with a horizontal platform that resulted in a RedDot award for product design. The unique sliding handle system invites the user to engage with it to manipulate water volume and temperature.



A. TWO-HANDLE, SINGLE-HOLE LAVATORY 65172LF-PC  
Height: 8<sup>9</sup>/<sub>16</sub>" Reach: 5<sup>13</sup>/<sub>16</sub>" Flow: 1.5 gpm @ 60 psi

B. 18" TOWEL BAR 691880-PC

C. TOWEL RING 694680-PC

D. THERMOSTATIC TUB/SHOWER T60480-PC  
Showerhead Flow: 2.5 gpm @ 80 psi;  
MultiChoice® Universal Rough R60000-UNBX

E. 24" TOWEL BAR 692480-PC

F. ROBE HOOKS—PAIR 693580-PC

G. TISSUE HOLDER 695080-PC

H. FRONT MOUNT TANK LEVER 696080-PC

I. SIDE MOUNT TANK LEVER 696280-PC

## NOT SHOWN

ROMAN TUB WITH HAND SHOWER T67480-PCLHP  
Height: 9<sup>3</sup>/<sub>4</sub>" Reach: 10<sup>15</sup>/<sub>16</sub>" Flow: 18 gpm @ 60 psi  
4-hole rough R64707; ROMAN TUB HANDLES HL680-PC

ROMAN TUB T67380-PCLHP; 3-hole rough R62707  
ROMAN TUB HANDLES HL680-PC

BIDET 68480-PCLHP; METAL HANDLES HL5380-PC

## AVAILABLE FINISHES:



POLISHED CHROME  
(PC)



BRILLIANCE®  
BRUSHED NICKEL (BN)



A. RECTANGULAR RAINCAN SHOWERHEAD 81380-PC;  
15" Shower Arm and Flange RP71650PC

B. SLIDE BAR HANDSHOWER 85521-PC

C. 6-FUNCTION DIVERTER TRIM T60980-PC;  
Diverter Rough R60700

D. TEMPASSURE® THERMOSTATIC VALVE TRIM T60080-PC;  
MultiChoice® Universal Rough R60000-UNBX

E. BODY SPRAYS WITH H<sub>2</sub>O KINETIC® TECHNOLOGY T84101-PC;  
Rough R84101



A. RECTANGULAR RAINCAN SHOWERHEAD 81380-BN;  
6" Ceiling Mount Shower Arm and Flange RP70764BN

B. SQUARE RAINCAN SHOWERHEAD WITH H<sub>2</sub>OKINETIC®  
TECHNOLOGY 87380-BN; 7" Shower Arm and Flange RP74448BN

C. TOUCH-CLEAN® BODY SPRAYS 84110-BN

D. SENSORI® VOLUME CONTROL TRIM T66680-BN;  
Sensori® Volume Control Rough R66600

E. SENSORI® THERMOSTATIC VALVE TRIM T66T080-BN;  
Sensori® Thermostatic Valve Rough R66000-WS






**ODIN™**

*"If I had to sum up Odin in one phrase it would be, 'addition by subtraction.' My time spent studying Scandinavian furniture made me appreciate the value of reducing something to its essential lines—and getting rid of everything else."*

*—Seth Fritz*







# UNCLUTTERED. UNCOMMON. UNPARALLELED.

*addition meets subtraction.*

Minimalist? Maximalist? Yes. The Odin collection pairs a clean, Scandinavian design with a wealth of leading-edge technologies—including the next generation of Brizo's revolutionary SmartTouch® Technology. SmartTouchPlus™ adds proximity sensing to our existing touch technology, allowing for both hands-free and touch-sensitive operation.



A. WIDESPREAD LAVATORY 65375LF-PC  
Height: 9" Reach: 4<sup>3</sup>/<sub>4</sub>" Flow: 1.5 gpm @ 60 psi

B. SINGLE-HANDLE, SINGLE-HOLE ELECTRONIC LAVATORY  
65675LF-PC Height: 9<sup>1</sup>/<sub>2</sub>" Reach: 4<sup>3</sup>/<sub>4</sub>" Flow: 1.5 gpm @ 60 psi

C. WALL MOUNT LAVATORY 65875LF-PC  
Reach: 8<sup>1</sup>/<sub>2</sub>" Flow: 1.5 gpm @ 60 psi

D. BIDET 68475-PC

E. TISSUE HOLDER 695075-PC

F. SmartTouchPlus™ TECHNOLOGY (available on the Single-handle,  
Single-hole Electronic Lavatory and Electronic Vessel only)

G. 18" TOWEL BAR 691875-PC

H. 24" TOWEL BAR 692475-PC

I. THERMOSTATIC TUB/SHOWER T60475-PC  
Showerhead Flow: 2.0 gpm @ 80 psi;  
MultiChoice® Universal Rough R60000-UNBX

J. SINGLE-HANDLE, SINGLE-HOLE ELECTRONIC VESSEL  
65475LF-PC, Height: 13<sup>3</sup>/<sub>16</sub>" Reach: 4<sup>3</sup>/<sub>4</sub>" Flow: 1.5 gpm @ 60 psi

K. TOWEL RING 694675-PC

L. DRAWER PULL 699175-PC

M. LIGHT SCONCE 697075-PC

N. SIDE MOUNT TANK LEVER 696275-PC;  
FRONT MOUNT TANK LEVER (not shown) 696075-PC

O. DRAWER KNOB 699275-PC

P. ROBE HOOK 693575-PC

Q. ROMAN TUB WITH HANDSHOWER T67475-PC  
Height: 11<sup>1</sup>/<sub>2</sub>" Reach: 9" Flow: 18.5 gpm @ 60 psi  
4-Hole Rough R64707  
ROMAN TUB (not shown) T67375-PC  
3-Hole Rough R62707

AVAILABLE FINISHES:



POLISHED CHROME  
(PC)



BRILLIANCE®  
BRUSHED NICKEL (BN)



MATTE BLACK  
(BL)



A. 8" RAINCAN SHOWERHEAD 81375-PC;  
15" Shower Arm and Flange RP71648PC

B. SLIDE BAR HANDSHOWER WITH  
H<sub>2</sub>OKINETIC® TECHNOLOGY 88775-PC

C. TOUCH-CLEAN® BODY SPRAYS 84110-PC

D. 6-FUNCTION DIVERTER TRIM T60975-PC; Diverter Rough R60700

E. TEMPASSURE® THERMOSTATIC VALVE TRIM T60075-PC;  
MultiChoice® Universal Rough R60000-UNBX



A. RAINCAN SHOWERHEAD WITH H<sub>2</sub>OKINETIC® TECHNOLOGY 87375-BN; 15" Shower Arm and Flange RP71648BN

B. BODY JET WITH H<sub>2</sub>OKINETIC® TECHNOLOGY 84001-BN


C. SENSORI® THERMOSTATIC VALVE TRIM T66T075-BN; Sensori® Thermostatic Valve Rough R66000-WS

D. SENSORI® VOLUME CONTROL TRIM T66675-BN; Sensori® Volume Control Rough R66600

E. BODY SPRAY WITH H<sub>2</sub>OKINETIC® TECHNOLOGY T84101-BN; Rough R84101



CLASSIC  
AND  
*elegant*






## PROVIDENCE™

*“Providence obviously comes from a traditional place, aesthetically. But that’s not to say we didn’t incorporate some unique touches to make it truly Brizo. The s-curve handles, for example, stand out in a sea of cookie-cutter designs.”*

*— Judd Lord*









# POISED. HANDSOME. POLISHED.

*a graceful expression.*

Simplistic and elegant, the fluid curve of the Providence spout aims to mimic the very essence of water itself.



A. PROVIDENCE BELLE WIDESPREAD LAVATORY 6526-BNLHP  
Height: 7" Reach: 4<sup>3</sup>/<sub>4</sub>" Flow: 1.5 gpm @ 60 psi  
FRENCH LEVER HANDLES HK37(C/H)-BB

B. PROVIDENCE BELLE ROMAN TUB 6726-BBLHP  
Height: 8<sup>1</sup>/<sub>4</sub>" Reach: 9" Flow: 1.8 gpm @ 60 psi  
FRENCH LEVER HANDLES HK37(C/H)-BB

C. PROVIDENCE BELLE HANDSHOWER 6016-BBLHP  
Flow: 2.0 gpm @ 80 psi; FRENCH LEVER HANDLES HK37(C/H)-BB

D. PROVIDENCE CLASSIC WIDESPREAD LAVATORY 6520-PCLHP  
Height: 7" Reach: 4<sup>3</sup>/<sub>4</sub>" Flow: 1.5 gpm @ 60 psi  
LEVER HANDLES HK36-PC

E. PROVIDENCE CLASSIC ROMAN TUB 6720-BBLHP  
Height: 8<sup>1</sup>/<sub>4</sub>" Reach: 9" Flow: 1.8 gpm @ 60 psi  
LEVER HANDLES HK36-BB

F. PROVIDENCE CLASSIC HANDSHOWER 6010-BBLHP  
CROSS HANDLE HK33H-BB

G. FRENCH LEVER HANDLES HK37(C/H)-BB  
(must order two handles; model # indicates C = cold, H = hot)

H. LEVER HANDLES HK36-BB  
(must order two handles)

I. CROSS HANDLES HK33(C/H)-BB  
(must order two handles; model # indicates C = cold, H = hot)

J. BIDET 6310-BBLHP  
LEVER HANDLES HK36-BB

K. TOWEL RING 69546-BB

L. TISSUE HOLDER 69550-BB

M. 18" TOWEL BAR 69518-BB  
24" TOWEL BAR (not shown) 69524-BB

N. DOUBLE ROBE HOOK 69535-BB

O. THERMOSTATIC TUB/SHOWER T60410-BB  
Showerhead Flow: 2.5 gpm @ 80 psi;  
MultiChoice® Universal Rough R60000-UNBX

P. 24" DOUBLE TOWEL BAR 69525-BB

Q. FRONT MOUNT FLUSH LEVER 69561-BB

R. SIDE MOUNT FLUSH LEVER 69562-BB

## AVAILABLE FINISHES:



POLISHED CHROME  
(PC)



BRILLIANCE® BRASS  
(BB)



BRILLIANCE®  
BRUSHED NICKEL (BN)



BRILLIANCE®  
BRUSHED BRONZE (BZ)



VENETIAN BRONZE®  
(RB) Providence classic only



A. 9" RAINCAN SHOWERHEAD RP52090PC;  
16" Shower Arm and Flange RP54168PC

B. SLIDE BAR HANDSHOWER RP36003;  
Wall Mount Elbow RP36004

C. 6-FUNCTION DIVERTER TRIM T60910-PC;  
Diverter Rough R60700

D. TEMPASSURE® THERMOSTATIC VALVE TRIM T60010-PC;  
MultiChoice® Universal Rough R60000-UNBX

E. BODY JET WITH H<sub>2</sub>OKINETIC® TECHNOLOGY 84001-PC



A. 12" CEILING MOUNT RAINCAN SHOWERHEAD 83310-RB;  
6" Ceiling Mount Shower Arm and Flange RP48985RB

B. WALL MOUNT HANDSHOWER RP36002RB;  
Wall Mount Elbow RP36004RB

C. TOUCH-CLEAN® BODY SPRAYS 84110-RB

D. SENSORI® THERMOSTATIC VALVE TRIM – LEVER T66T036-RB;  
Sensori® Thermostatic Valve Rough R66000-WS

E. SENSORI® VOLUME CONTROL TRIM – LEVER T66636-RB;  
Sensori® Volume Control Rough R66600

---

**TIME  
STANDS**  
*still*






## QUIESSENCE®

*“Sleek, minimal, functional—  
Quiescence is the epitome  
of the kind of mid-century  
European design that’s  
become a staple here as much  
as it is over there.”*

*– Celine Kwok*



A



B



C



D






E



# MINIMAL. HUSHED. HYPNOTIC.

*strong and silent.*

The minimalist style of the Quiescence collection brings retro European design to America. It borrows a design philosophy from the 1950s and applies it to the technology found today. Two simple, perpendicular lines intersect creating a bold statement that is accented by handle materials including metal, Maple or Wenge wood.



A. SINGLE-HANDLE LAVATORY 65014LF-BN  
Height: 7<sup>1</sup>/<sub>8</sub>" Reach: 5<sup>3</sup>/<sub>16</sub>" Flow: 1.5 gpm @ 60psi  
SINGLE-HOLE AND VESSEL LAVATORY HANDLE  
-WENGE RP42295-BN

B. VESSEL LAVATORY 65414LF-BN  
Height: 12<sup>1</sup>/<sub>8</sub>" Reach: 5<sup>3</sup>/<sub>16</sub>" Flow: 1.5 gpm @ 60psi

C. WALL MOUNT LAVATORY 65814LF-BN  
Reach: 8<sup>1</sup>/<sub>2</sub>" Flow: 1.5 gpm @ 60psi

D. SINGLE-HANDLE LAVATORY 65014LF-BN  
Height: 7<sup>1</sup>/<sub>8</sub>" Reach: 5<sup>3</sup>/<sub>16</sub>" Flow: 1.5 gpm @ 60psi  
OPTIONAL 4" ESCUTCHEON RP54978BN

E. TISSUE HOLDER 695075-BN

F. SINGLE-HOLE AND VESSEL LAVATORY HANDLE - MAPLE RP42294BN;  
WALL MOUNT LAVATORY HANDLE - MAPLE (not shown) RP62660BN;  
ROMAN TUB HANDLE - MAPLE (not shown) RP42302BN

G. SINGLE-HOLE AND VESSEL LAVATORY HANDLE - WENGE RP42295BN;  
WALL MOUNT LAVATORY HANDLE - WENGE (not shown) RP62661BN;  
ROMAN TUB HANDLE - WENGE (not shown) RP42303BN

H. ROMAN TUB WITH HANDSHOWER 67214-BN  
Height: 7" Reach: 9<sup>3</sup>/<sub>4</sub>" Flow: 12.28 gpm @ 60 psi  
ROMAN TUB (not shown) 67114-BN

I. BIDET 68414-BN

J. 18" TOWEL BAR 691875-BN  
24" TOWEL BAR (not shown) 692475-BN

K. TOWEL RING 694675-BN

L. THERMOSTATIC TUB/SHOWER T60475-BN  
Showerhead Flow: 2.0 gpm @ 80 psi;  
MultiChoice® Universal Rough R60000-UNBX

M. SIDE MOUNT TANK LEVER 696275-BN

N. FRONT MOUNT TANK LEVER 696075-BN

O. ROBE HOOK 693575-BN

P. LIGHT SCONCE 697075-BN

Q. DRAWER KNOB 699275-BN

R. DRAWER PULL 699175-BN

AVAILABLE FINISHES:



POLISHED CHROME  
(PC)



BRILLIANCE®  
BRUSHED NICKEL (BN)



A. RAINCAN SHOWERHEAD WITH H<sub>2</sub>OKINETIC® TECHNOLOGY  
87375-PC; 15" Shower Arm and Flange RP71648PC

B. SLIDE BAR HANDSHOWER WITH H<sub>2</sub>OKINETIC®  
TECHNOLOGY 88775-PC

C. TOUCH-CLEAN® BODY SPRAYS 84110-PC

D. 6-FUNCTION DIVERTER TRIM T60975-PC; Diverter Rough R60700

E. TEMPASSURE® THERMOSTATIC VALVE TRIM T60075-PC;  
MultiChoice® Universal Rough R60000-UNBX




A. RAINCAN SHOWERHEAD WITH H<sub>2</sub>OKINETIC® TECHNOLOGY 87375-BN; 15" Shower Arm and Flange RP71648BN

B. BODY JET WITH H<sub>2</sub>OKINETIC® TECHNOLOGY 84001-BN

C. SENSORI® THERMOSTATIC VALVE TRIM T66T075-BN; Sensori® Thermostatic Valve Rough R66000-WS

D. SENSORI® VOLUME CONTROL TRIM T66675-BN; Sensori® Volume Control Rough R66600

E. BODY SPRAY WITH H<sub>2</sub>OKINETIC® TECHNOLOGY T84101-BN; Rough R84101



A STUDY  
IN REFINED  
*glamour*


---



**RSVP®**

*"The operative term at the start of designing RSVP was 'casual elegance.' We were right in a period where glam was a huge trend, which led to the crystal finials. The goal for the whole line was to create something elegant that could work in both traditional and contemporary settings."*

*– Judd Lord*



A



B



C



D



# APPEALING. ARRESTING. AUSPICIOUS.

*a new vision of glamour.*

A study in refined glamour, the RSVP design combines stately curves and luxurious flourishes. With a full complement of accessories and lighting, including optional crystal finials made with SWAROVSKI ELEMENTS, RSVP adds new elegance to any bath.



**A. WIDESPREAD LAVATORY** 65390LF-PCLHP  
Height: 8" Reach: 5" Flow: 1.5 gpm @ 60 psi  
LEVER HANDLES HL5390-PC  
CRYSTAL FINIAL RP47958PC

**B. DECK MOUNT VESSEL LAVATORY** 65790LF-PCLHP  
Height: 12<sup>7</sup>/<sub>8</sub>" Reach: 5" Flow: 1.5 gpm @ 60 psi  
LEVER HANDLES HL5790-PC

**C. WALL MOUNT LAVATORY** 65890LF-PCLHP  
Reach: 8<sup>5</sup>/<sub>8</sub>" Flow: 1.5 gpm @ 60 psi  
CROSS HANDLES HX5890-PC

**D. ROMAN TUB WITH HANDSHOWER** T67490-PCLHP  
Height: 9<sup>3</sup>/<sub>4</sub>" Reach: 9<sup>3</sup>/<sub>4</sub>" Flow: 18.5 gpm @ 60 psi; 4-hole rough R64707  
CROSS HANDLES HX790-PC  
ROMAN TUB (not shown) T67390-PCLHP; 3-hole rough R62707

**E. OPTIONAL CRYSTAL FINIAL**  
(available for lavatory, roman tub & accessories)

**F. OPTIONAL BLUE GLASS FINIAL**  
(available for lavatory, roman tub & accessories)

**G. LEVER HANDLE** (available for lavatory, roman tub & bidet)

**H. CROSS HANDLE** (available for lavatory, roman tub & bidet)

**I. DOUBLE ROBE HOOK** 69935-PC

**J. THERMOSTATIC TUB/SHOWER** T60490-PC  
Showerhead Flow: 2.5 gpm @ 80 psi;  
MultiChoice® Universal Rough R60000-UNBX

**K. WALL MIRROR** 23" WIDE x 36" HIGH 69980-PC

**L. SINGLE LIGHT FIXTURE** 13" HIGH 69970-PC

**M. CANDLE SCONCE** 8<sup>1</sup>/<sub>2</sub>" HIGH 69966-PC

**N. SIDE MOUNT FLUSH LEVER** 69962-PC

**O. FRONT MOUNT FLUSH LEVER** 69960-PC

**P. 18" TOWEL BAR** 69918-PC  
(accepts decorative finials)  
**24" TOWEL BAR (not shown)** 69924-PC  
(accepts decorative finials)

**Q. 24" DOUBLE TOWEL BAR** 69925-PC  
(accepts decorative finials)

**R. 8" MINI TOWEL BAR** 69947-PC  
(accepts decorative finials)

**S. TISSUE PAPER HOLDER** 69950-PC  
(accepts decorative finials)

**T. BIDET** 68490-PCLHP  
LEVER HANDLES HL5390-PC

## AVAILABLE FINISHES:



POLISHED CHROME  
(PC)



BRILLIANCE®  
BRUSHED NICKEL (BN)



BRILLIANCE®  
BRUSHED BRONZE (BZ)



A. WALL MOUNT SHOWERHEAD RP48041BN;  
Wall Mount Shower Arm RP48040BN

B. SLIDE BAR HANDSHOWER 89710-BN

C. 6-FUNCTION DIVERTER TRIM T60990-BN;  
Diverter Rough R60700

D. TEMPASSURE® THERMOSTATIC VALVE TRIM T60090-BN;  
MultiChoice® Universal Rough R60000-UNBX

E. TOUCH-CLEAN® BODY SPRAYS 84110-BN



A. CEILING MOUNT RAINCAN SHOWERHEAD RP48043PC;  
6" Ceiling Mount Shower Arm and Flange RP48985PC

B. WALL MOUNT SHOWERHEAD RP48041PC;  
Wall Mount Shower Arm RP48040PC

C. SLIDE BAR HANDSHOWER 89710-PC

D. BODY SPRAY WITH H<sub>2</sub>OKINETIC® TECHNOLOGY T84101-PC;  
Rough R84101

E. SENSORI® VOLUME CONTROL TRIM – LEVER T66690-PC;  
Sensori® Volume Control Rough R66600

F. SENSORI® THERMOSTATIC VALVE TRIM – LEVER T66T090-PC;  
Sensori® Thermostatic Valve Rough R66000-WS


G. BODY JET WITH H<sub>2</sub>OKINETIC® TECHNOLOGY 84001-PC

VIEW ALL SENSORI® HIGH FLOW CUSTOM SHOWER COMPONENTS STARTING P. 152

---

# NATURE FORMS NEWFOUND

*sophistication*






**SIDERNA™**

*“The idea for Siderna was driven by a study of fluid, planar forms. We were especially inspired by ‘Fallingwater,’ architect Frank Lloyd Wright’s masterpiece, which is a beautiful demonstration of the way nature and man-made objects can interact.”*

*– Seth Fritz*



A




B



C





D



# SEAMLESS. DARING. DYNAMIC.

*a study in contrast.*

Combining geometric structure with natural inspiration, Siderna represents the merging of two very different worlds. Its soft, flowing curves mimic the movement of cascading waterfalls, while its stark, crisp lines evoke modern sophistication.



A. WIDESPREAD LAVATORY 65380LF-PCLHP  
Height: 8<sup>1</sup>/<sub>2</sub>" Reach: 6" Flow: 1.5 gpm @ 60 psi  
GREEN GLASS ACCENT HANDLES HL5381-PC

B. SINGLE-HANDLE SINGLE-HOLE LAVATORY 65080LF-PC  
Height: 8<sup>3</sup>/<sub>16</sub>" Reach: 5" Flow: 1.5 gpm @ 60 psi

C. SINGLE-HANDLE VESSEL LAVATORY 65480LF-PC  
Height: 12<sup>1</sup>/<sub>4</sub>" Reach: 5" Flow: 1.5 gpm @ 60 psi

D. WALL MOUNT LAVATORY 65880LF-PCLHP  
Reach: 8<sup>3</sup>/<sub>8</sub>" Flow: 1.5 gpm @ 60 psi  
ALL METAL HANDLES HL5880-PC

E. ROMAN TUB WITH HANDSHOWER T67480-PCLHP;  
Height: 9<sup>3</sup>/<sub>4</sub>" Reach: 10<sup>1</sup>/<sub>8</sub>" Flow: 18.0 gpm @ 60 psi  
4-hole rough R64707  
GREEN GLASS ACCENT HANDLES HL681-PC  
ROMAN TUB (not shown) T67380-PCLHP; 3-hole rough R62707

F. TOWEL RING 694680-PC

G. ROBE HOOKS—PAIR 693580-PC

H. THERMOSTATIC TUB/SHOWER T60480-PC  
Showerhead Flow: 2.5 gpm @ 80 psi;  
MultiChoice® Universal Rough R60000-UNBX

I. 18" TOWEL BAR 691880-PC  
24" TOWEL BAR (not shown) 692480-PC


J. FRONT MOUNT TANK LEVER 696080-PC

K. SIDE MOUNT TANK LEVER 696280-PC

L. BIDET 68480-PCLHP  
ALL METAL HANDLES HL5380-PC

M. TISSUE HOLDER 695080-PC

**EFFECTIVE Q1 2013** (handles ordered separately)



N. GREEN GLASS ACCENT HANDLE

O. SOLAR GRAY GLASS ACCENT HANDLE

P. ALL METAL HANDLE (shown in Matte Black)

Handles available for 2-handle lavatory, roman tub, and bidet faucets.

AVAILABLE FINISHES:

**NEW** (available Q1 2013)



POLISHED CHROME  
(PC)



BRILLIANCE®  
BRUSHED NICKEL (BN)



MATTE BLACK  
(BL)



A. RECTANGULAR RAINCAN SHOWERHEAD 81380-PC;  
15" Shower Arm and Flange RP71650PC

B. SLIDE BAR HANDSHOWER 85521-PC

C. 6-FUNCTION DIVERTER TRIM T60980-PC;  
Diverter Rough R60700

D. TEMPASSURE® THERMOSTATIC VALVE TRIM T60080-PC;  
MultiChoice® Universal Rough R60000-UNBX

E. BODY SPRAYS WITH H<sub>2</sub>OKINETIC® TECHNOLOGY T84101-PC;  
Rough R84101



A. RECTANGULAR RAINCAN SHOWERHEAD 81380-BN;  
6" Ceiling Mount Shower Arm and Flange RP70764BN

B. SQUARE RAINCAN SHOWERHEAD WITH H<sub>2</sub>OKINETIC®  
TECHNOLOGY 87380-BN; 7" Shower Arm and Flange RP74448BN

C. TOUCH-CLEAN® BODY SPRAYS 84110-BN

D. SENSORI® VOLUME CONTROL TRIM T66680-BN;  
Sensori® Volume Control Rough R66600

E. SENSORI® THERMOSTATIC VALVE TRIM T66T080-BN;  
Sensori® Thermostatic Valve Rough R66000-WS

---

# TRADITIONAL BREAKS

*from traditional*






**TRESA®**

*“Tresa was designed to carry with it an antique vibe—while still living in the modern era. With a Victorian body and modern technology within, it truly represents the best of both worlds.”*

*– Judd Lord*



A



B




C



D



E








F



# ELEGANT. MODERN. ENDURING.

*bridging past and present.*

Tresa reunites us with the past by taking design elements from the earliest of European fountains. A simple bend in the neck and traditional styling provide the classic feel of these graceful structures.



A. 8" BRIDGE LAVATORY WITH CROSS HANDLES 65538LF-PC  
Height: 8<sup>3</sup>/<sub>4</sub>" Reach: 7" Flow: 1.5 gpm @ 60 psi  
8" BRIDGE LAVATORY WITH LEVER HANDLES (*not shown*) 65536LF-PC

B. WIDESPREAD LAVATORY WITH LEVER HANDLES 65336LF-PN  
Height: 7<sup>1</sup>/<sub>2</sub>" Reach: 6<sup>3</sup>/<sub>8</sub>" Flow: 1.5 gpm @ 60 psi  
WIDESPREAD LAVATORY WITH CROSS HANDLES (*not shown*) 65338LF-PN

C. TWO-HANDLE DECK MOUNT LAVATORY 65136LF-PN  
Height: 8<sup>1</sup>/<sub>2</sub>" Reach: 6<sup>1</sup>/<sub>2</sub>" Flow: 1.5 gpm @ 60 psi

D. SINGLE-HANDLE DECK MOUNT LAVATORY 65036LF-PN  
Height: 9<sup>3</sup>/<sub>4</sub>" Reach: 6<sup>3</sup>/<sub>4</sub>" Flow: 1.5 gpm @ 60 psi

E. SINGLE-HANDLE VESSEL LAVATORY 65436LF-PN  
Height: 15<sup>3</sup>/<sub>4</sub>" Reach: 6<sup>3</sup>/<sub>4</sub>" Flow: 1.5 gpm @ 60 psi

F. 7" WALL MOUNT LAVATORY 65836LF-PN  
Reach: 7" Flow: 1.5 gpm @ 60 psi

G. ROMAN TUB WITH HANDSHOWER - LEVER HANDLES  
T67436-PN Height: 8<sup>1</sup>/<sub>2</sub>" Reach: 9" Flow: 18.5 gpm  
@ 60 psi; 4-hole rough R64707  
ROMAN TUB WITH HANDSHOWER - CROSS HANDLES  
(*not shown*) T67438-PN; 4-hole rough R64707  
ROMAN TUB - LEVER HANDLES (*not shown*) T67336-PN;  
3-hole rough R62707  
ROMAN TUB - CROSS HANDLES (*not shown*) T67338-PN;  
3-hole rough R62707

H. BIDET 6310-PNLHP  
CROSS HANDLE HK33(C/H)-PN

I. THERMOSTATIC TUB/SHOWER T60410-PN  
Showerhead Flow: 2.5 gpm @ 80 psi;  
MultiChoice® Universal Rough R60000-UNBX

J. TOWEL RING 69546-PN

K. DOUBLE ROBE HOOK 69535-PN

L. FRONT MOUNT FLUSH LEVER 69561-PN

M. SIDE MOUNT FLUSH LEVER 69562-PN

N. TISSUE HOLDER 69550-PN

O. 18" TOWEL BAR 69518-PN  
24" TOWEL BAR (*not shown*) 69524-PN

P. 24" DOUBLE TOWEL BAR 69525-PN

## AVAILABLE FINISHES:



POLISHED CHROME  
(PC)



BRILLIANCE® POLISHED  
NICKEL (PN)



VENETIAN BRONZE®  
(RB)



BRILLIANCE®  
BRUSHED NICKEL (BN)



BRILLIANCE®  
BRUSHED BRONZE (BZ)



A. 9" RAINCAN SHOWERHEAD RP52090PC;  
16" Shower Arm and Flange RP54168PC

B. SLIDE BAR HANDSHOWER RP36003;  
Wall Mount Elbow RP36004

C. 6-FUNCTION DIVERTER TRIM T60910-PC;  
Diverter Rough R60700

D. TEMPASSURE® THERMOSTATIC VALVE TRIM T60010-PC;  
MultiChoice® Universal Rough R60000-UNBX

E. BODY JET WITH H<sub>2</sub>OKINETIC® TECHNOLOGY 84001-PC



A. 12" CEILING MOUNT RAINCAN SHOWERHEAD 83310-RB;  
6" Ceiling Mount Shower Arm and Flange RP48985RB

B. WALL MOUNT HANDSHOWER RP36002RB;  
Wall Mount Elbow RP36004RB

C. TOUCH-CLEAN® BODY SPRAYS 84110-RB


D. SENSORI® THERMOSTATIC VALVE TRIM – LEVER T66T036-RB;  
Sensori® Thermostatic Valve Rough R66000-WS

E. SENSORI® VOLUME CONTROL TRIM – LEVER T66636-RB;  
Sensori® Volume Control Rough R66600

A photograph of a small, clear stream flowing through a dense forest. The water is cascading over moss-covered rocks, creating a small waterfall. The surrounding trees and rocks are heavily covered in green moss, and the water has a vibrant turquoise hue. The scene is peaceful and natural.

---


**SO MUCH  
BEAUTY**  
*in sovereignty*



**VESI®**

*“I was fascinated by how water looks running down a mountain after rainfall, and I played with the channel spout to mimic that. The rest of the architecture followed the Art Deco period—designed to be more rounded, low to the ground, and to maximize its presence.”*

*– Judd Lord*



A








B



# SOOTHING. LIVELY. LYRICAL.

*sound with vision.*

The channel spout configuration captures the appearance, sound and feel of a babbling brook while creating a unique sensory experience. The fluid design of the curve spout creates a startling contrast between the crisp lines of its base.



A. CHANNEL WIDESPREAD LAVATORY 65345LF-BN  
Height: 4 1/4" Reach: 5 1/8" Flow: 1.5 gpm @ 60 psi

B. CURVE WIDESPREAD LAVATORY 65340LF-BZ  
Height: 4 1/4" Reach: 5 1/4" Flow: 1.5 gpm @ 60 psi

C. CHANNEL ROMAN TUB WITH HANDSHOWER T67745-BZ  
Height: 6 1/4" Reach: 9" Flow: 18.0 gpm @ 60 psi  
4-hole rough R64707  
CHANNEL ROMAN TUB (not shown) T6745-BZ  
3-hole rough R62707

D. CURVE ROMAN TUB WITH HANDSHOWER T67740-BZ  
Height: 6 3/4" Reach: 9 1/2" Flow: 18.0 gpm @ 60 psi; 4-hole rough R64707  
CURVE ROMAN TUB (not shown) T6740-BZ; 3-hole rough R62707

E. BIDET 6340-BZ

F. DOUBLE LIGHT FIXTURE 10 3/4" high x 20" wide 69871-BZ

G. SINGLE LIGHT FIXTURE 10 3/4" high 69870-BZ

H. MINI CANDLE SCONCE 69866-BZ

I. THERMOSTATIC TUB/SHOWER T60440-BZ  
Showerhead Flow: 2.5 gpm @ 80 psi;  
MultiChoice® Universal Rough R60000-UNBX

J. 24" TOWEL BAR 69824-BZ  
18" TOWEL BAR (not shown) 69818-BZ

K. TISSUE HOLDER 69850-BZ

L. WALL MIRROR 23" x 23" 69880-BZ

M. TOWEL RING 69846-BZ

N. UTILITY HOOK 69835-BZ

O. FRONT MOUNT FLUSH LEVER 69860-BZ

P. SIDE MOUNT FLUSH LEVER 69862-BZ

## AVAILABLE FINISHES:



POLISHED  
CHROME (PC)



BRILLIANCE®  
BRASS (BB)



BRILLIANCE®  
BRUSHED NICKEL (BN)



BRILLIANCE®  
BRUSHED BRONZE (BZ)



A. RAINCAN SHOWERHEAD RP42431BN;  
7" Shower Arm and Flange RP71649BN

B. WALL MOUNT HANDSHOWER RP41202BN;  
Wall Mount Elbow RP36004BN

C. BODY SPRAY WITH H<sub>2</sub>OKINETIC® TECHNOLOGY  
T84101-BN; Rough R84101

D. 6-FUNCTION DIVERTER TRIM T60940-BN; Diverter Rough R60700

E. TEMPASSURE® THERMOSTATIC VALVE TRIM T60040-BN;  
MultiChoice® Universal Rough R60000-UNBX



A. RAINCAN SHOWERHEAD RP42431BZ;  
7" Shower Arm and Flange RP71649BZ

B. WALL MOUNT HANDSHOWER RP41202BZ;  
Wall Mount Elbow RP36004BZ

C. TOUCH-CLEAN® BODY SPRAY 84110-BZ

D. SENSORI® THERMOSTATIC VALVE TRIM T66T040-BZ;  
Sensori® Thermostatic Valve Rough R66000-WS

E. SENSORI® VOLUME CONTROL TRIM T66640-BZ;  
Sensori® Volume Control Rough R66600




**TWIST**  
**AND**  
*flourish*



## VIRAGE®

*"The idea for Virage really took root during a trip to Paris. We were intrigued by all of the beautiful wrought iron we saw there, and came back with so much great imagery. From there it was mainly a matter of making our initial sketches a little more Art Deco, a little less Gothic."*

*– Judd Lord*



A



B



C




D



# DIFFERENT. SURPRISING. DRAMATIC.

*a simple twist.*

The twists and flourishes of Old World wrought iron find bold new expression in the Virage collection. Combining modern sophistication with hints of art deco styling, Virage is a uniquely elegant form that adapts to almost any environment.



A. WIDESPREAD LAVATORY 65330LF-PN  
Height: 7<sup>27</sup>/<sub>32</sub>" Reach: 5<sup>9</sup>/<sub>16</sub>" Flow: 1.5 gpm @ 60 psi

B. WIDESPREAD VESSEL LAVATORY 65430LF-PN  
Height: 12<sup>11</sup>/<sub>32</sub>" Reach: 5<sup>9</sup>/<sub>16</sub>" Flow: 1.5 gpm @ 60 psi

C. WALL MOUNT LAVATORY 65830LF-PN  
Reach: 8<sup>1</sup>/<sub>2</sub>" Flow: 1.5 gpm @ 60 psi

D. ROMAN TUB WITH HANDSHOWER T67430-PN  
Height: 9<sup>5</sup>/<sub>16</sub>" Reach: 8<sup>27</sup>/<sub>32</sub>" Flow: 18.5 gpm @ 60 psi  
4-hole rough R64707  
ROMAN TUB (*not shown*) T67330-PN  
3-hole rough R62707

E. TOWEL RING 694630-PN

F. SINGLE LIGHT SCONCE 10<sup>1</sup>/<sub>2</sub>" HIGH 697030-PN

G. THERMOSTATIC TUB/SHOWER T60430-PN  
Showerhead Flow: 2.0 gpm @ 80 psi;  
MultiChoice® Universal Rough R60000-UNBX

H. FRONT MOUNT FLUSH LEVER 696030-PN

I. SIDE MOUNT FLUSH LEVER 696230-PN

J. WALL MIRROR 20" x 30" 698030-PN

K. BIDET 68430-PN

L. ROBE HOOK 693530-PN

M. TISSUE HOLDER 695030-PN

N. 18" TOWEL BAR 691830-PN  
24" TOWEL BAR (*not shown*) 692430-PN

## AVAILABLE FINISHES:



POLISHED CHROME  
(PC)



BRILLIANCE® POLISHED  
NICKEL (PN)



VENETIAN BRONZE®  
(RB)



BRILLIANCE®  
BRUSHED NICKEL (BN)



BRILLIANCE®  
BRUSHED BRONZE (BZ)



A. RAINCAN SHOWERHEAD WITH H<sub>2</sub>OKINETIC® TECHNOLOGY 87330-BN;  
Wall Mount Shower Arm RP62603BN

B. SLIDE BAR HANDSHOWER 85730-BN

C. 6-FUNCTION DIVERTER TRIM T60930-BN;  
Diverter Rough R60700

D. TEMPASSURE® THERMOSTATIC VALVE TRIM T60030-BN;  
MultiChoice® Universal Rough R60000-UNBX

E. BODY SPRAY WITH H<sub>2</sub>OKINETIC® TECHNOLOGY T84101-BN;  
Rough R84101



A. CEILING MOUNT RAINCAN SHOWERHEAD 81330-PN;  
6" Ceiling Mount Shower Arm and Flange RP70764PN

B. RAINCAN SHOWERHEAD WITH H<sub>2</sub>OKINETIC® TECHNOLOGY  
87330-PN; Wall Mount Shower Arm RP62603PN

C. TOUCH-CLEAN® BODY SPRAY 84110-PN

D. SENSORI® THERMOSTATIC VALVE TRIM T66T030-PN;  
Sensori® Thermostatic Valve Rough R66000-WS

E. SENSORI® VOLUME CONTROL TRIM T66630-PN;  
Sensori® Volume Control Rough R66600



THE MAGIC  
IN OUR  
*past*

---



## WILLIAMSBURG™ CLASSIC

*"The best way to approach Williamsburg is to use your imagination. Initially, you might only see its elegant, time-honored lines and finishes. But look a little closer and you'll see its silhouette echoes another 'classic'—Aladdin's lamp."*

*— Judd Lord*







A



# STURDY. NOBLE. STEADFAST.

*a study in history.*

The classic design of the Williamsburg bath suite harkens back to the refinement and grace of our past. It beautifully brings an air of timelessness to any environment.



A. WIDESPREAD LAVATORY 6511-RBLHP  
Height: 2<sup>13/32</sup>" Reach: 4<sup>3/4</sup>" Flow: 1.5 gpm @ 60 psi  
LEVER HANDLES HK36-RB

B. ROMAN TUB 6711-RBLHP  
Height: 5" Reach: 8<sup>9/16</sup>" Flow: 18 gpm @ 60 psi  
LEVER HANDLES HK36-RB

C. HANDSHOWER 6010-RBLHP  
LEVER HANDLE HK36-RB

D. BIDET 6310-RBLHP  
LEVER HANDLES HK36-RB

E. CROSS HANDLE HK33(C/H)-RB (C=cold, H=hot)  
(available for lavatory, roman tub, handshower and bidet)

F. TISSUE HOLDER 69550-RB

G. DOUBLE ROBE HOOK 69535-RB

H. FRONT MOUNT FLUSH LEVER 69561-RB

I. SIDE MOUNT FLUSH LEVER 69562-RB

J. 24" DOUBLE TOWEL BAR 69525-RB

K. 18" TOWEL BAR 69518-RB  
24" TOWEL BAR (not shown) 69524-RB

L. TOWEL RING 69546-RB

M. THERMOSTATIC TUB/SHOWER T60410-RB  
Showerhead Flow: 2.5 gpm @ 80 psi;  
MultiChoice® Universal Rough R60000-UNBX

## AVAILABLE FINISHES:



POLISHED CHROME  
(PC)



VENETIAN BRONZE®  
(RB)



BRILLIANCE®  
BRUSHED NICKEL (BN)



BRILLIANCE®  
BRUSHED BRONZE (BZ)



A. 9" RAINCAN SHOWERHEAD RP52090PC;  
16" Shower Arm and Flange RP54168PC

B. SLIDE BAR HANDSHOWER RP36003;  
Wall Mount Elbow RP36004

C. 6-FUNCTION DIVERTER TRIM T60910-PC;  
Diverter Rough R60700

D. TEMPASSURE® THERMOSTATIC VALVE TRIM T60010-PC;  
MultiChoice® Universal Rough R60000-UNBX

E. BODY JET WITH H<sub>2</sub>OKINETIC® TECHNOLOGY 84001-PC



A. 12" CEILING MOUNT RAINCAN SHOWERHEAD 83310-RB;  
6" Ceiling Mount Shower Arm and Flange RP48985RB

B. WALL MOUNT HANDSHOWER RP36002RB;  
Wall Mount Elbow RP36004RB

C. TOUCH-CLEAN® BODY SPRAYS 84110-RB

D. SENSORI® THERMOSTATIC VALVE TRIM – LEVER T66T036-RB;  
Sensori® Thermostatic Valve Rough R66000-WS

E. SENSORI® VOLUME CONTROL TRIM – LEVER T66636-RB;  
Sensori® Volume Control Rough R66600





## DREAM. SHOWER.

She feels invigorated, renewed, refreshed, replenished. Her senses come alive. It's a moment of epiphany, like a world going from black and white to color.

# DREAM. SHOWER.

The shower is not just a space where you prepare to face the day or wash away whatever that day throws at you. The shower is a personal retreat, a tranquil sanctuary, an extension of your dream bath experience. To that end, Brizo provides a full range of shower offerings—from pressure-balance trims to à la carte handshowers, showerheads and body sprays—so you can create the perfect space. With coordinating shower trims and components for each bath collection, you can carry your personal sense of style through the entire room, creating the beautifully cohesive space of your dreams.



## AVAILABLE FINISHES:



POLISHED CHROME  
(PC)



BRILLIANCE®  
POLISHED NICKEL (PN)



BRILLIANCE®  
BRUSHED NICKEL (BN)



BRILLIANCE®  
BRUSHED BRONZE (BZ)



BRILLIANCE® BRASS  
(BB)



VENETIAN BRONZE®  
(RB)





COCOA BRONZE WITH  
POLISHED NICKEL (PNCO)





MATTE BLACK  
(BL)





H<sub>2</sub>Okinetic® Technology is the study of water in motion, and the Brizo Custom Shower Systems were the first to bring this revolutionary technology to market. By controlling water's shape, velocity and thermal dynamics, we've reinvented the showering experience—creating a warmer, more luxurious shower experience that blankets the body while using less water.



**DROPLET SIZE:** Larger water droplets offer a more massaging showering experience.



**SPRAY COVERAGE:** A dense shower spray offers a more drenching blanket of water coverage.















**THERMAL DYNAMICS:** Larger water drops and a dense spray pattern result in a warmer, more consistent shower experience.





















## PRESSURE BALANCE SHOWERS

Now, the temperature of your shower is constant and predictable—even when your water supply isn't. Pressure-balanced showers feature a specially engineered valve that dynamically compensates for changes in water pressure, to maintain a constant shower temperature within  $\pm 3.6^{\circ}\text{F}$ . And with all pressure-balanced showers featuring showerheads that are WaterSense® labeled, water efficiency has never felt this comfortable.

Style	Shower Only	Tub/Shower
<b>Euro</b> <i>Complements Loki, Odin, Quiessence and Siderna Collections</i>  Flow rate: 1.5 gpm @ 80 psi, 5.7 L/min @ 552 kPa Available in: PC, BN  SHOWER ONLY T60P220 TUB/SHOWER T60P420 		
<b>RSVP®</b>  Flow rate: 2.0 gpm @ 80 psi, 7.6 L/min @ 552 kPa Available in: PC, BN, BZ  SHOWER ONLY T60P290 TUB/SHOWER T60P490 		
<b>Traditional</b> <i>Complements Baliza, Charlotte, Providence, Tresa and Williamsburg Collections</i>  Flow rate: 2.0 gpm @ 80 psi, 7.6 L/min @ 552 kPa Available in: PC, PN, BB, RB, BN, BZ  SHOWER ONLY T60P210 TUB/SHOWER T60P410 		
<b>Vesi®</b> <i>Complements the Virage Collection</i>  Flow rate: 2.0 gpm @ 80 psi, 7.6 L/min @ 552 kPa Available in: PC, BB, BN, BZ  SHOWER ONLY T60P240 TUB/SHOWER T60P440 		

## MEDIUM FLOW CUSTOM SHOWER COMPONENTS



















A personalized, spa-like experience awaits. Medium Flow Custom Showers are fully customizable and designed to coordinate with all Brizo bath collections. TempAssure® Thermostatic Valves flow at 8.5 gpm @ 60 psi, and can be paired with any 2.0 gpm showerhead to reduce water flow if desired.

	TempAssure® Thermostatic Valve Trim	Diverter Trim*
<b>Baliza®</b> Available in: PC, PN, RB, BN, BZ	 T60005	 3-Function: T60805 6-Function: T60905
<b>Charlotte™</b> Available in: PC, PN, PNCO, BN	 T60085	 3-Function: T60885 6-Function: T60985
<b>JASON WU For Brizo™</b> Available in: BL	 T60075	 3-Function: T60875 6-Function: T60975
<b>Odin™</b> <i>Also complements Quiescence Collection</i> Available in: PC, BN	 T60075	 3-Function: T60875 6-Function: T60975
<b>RSVP®</b> Available in: PC, BN, BZ	 T60090	 3-Function: T60890 6-Function: T60990
<b>Siderna™</b> <i>Also complements Loki Collection</i> Available in: PC, BN Available in: BL (Q1 2013)	 T60080	 3-Function: T60880 6-Function: T60980
<b>Traditional</b> <i>Complements Baliza, Providence, Tresa and Williamsburg Collections</i> Available in: PC, PN, BB, RB, BN, BZ	 T60010	 3-Function: T60810 6-Function: T60910
<b>Vesi®</b> Available in: PC, BB, BN, BZ	 T60040	 3-Function: T60840 6-Function: T60940
<b>Virage®</b> Available in: PC, PN, RB, BN, BZ	 T60030	 3-Function: T60830 6-Function: T60930

**\*NOTE: Non-shared Diverter Cartridges available**  
 RP72123 (2-position) or RP72124 (3-position)

## SENSORI® HIGH FLOW CUSTOM SHOWER COMPONENTS

The ultimate expression of our vision for the shower. Sensori® Custom Shower Systems offer a wealth of customizable components, while coordinating with any Brizo bath collection. All Sensori Thermostatic Valves offer flow rates of 12 gpm @ 60 psi, and can be paired with any 2.0 gpm showerhead to reduce water flow if desired.

	Sensori Thermostatic Valve Trim	Sensori Volume Control Trim
<b>Baliza®</b> Available in: PC, PN, RB, BN, BZ	 T66T005	 T66605
<b>Charlotte™</b> Available in: PC, PN, PNCO, BN	 T66T085	 T66685
<b>JASON WU For Brizo™</b> Available in: BL	 T66T075	 T66675
<b>Odin™</b> <i>Complements Quiessence Collection</i> Available in: PC, BN	 T66T075	 T66675
<b>RSVP®</b> Available in: PC, BN, BZ	 T66T090 (lever) T66T095 (cross)	 T66690 (lever) T66695 (cross)
<b>Siderna™</b> <i>Complements Loki Collection</i> Available in: PC, BN Available in: BL (Q1 2013)	 T66T080	 T66680
<b>Traditional</b> <i>Complements Baliza, Providence, Tresa and Williamsburg Collections</i> Available in: PC, PN, BB, RB, BN, BZ	 T66T036 (lever) T66T038 (cross)	 T66636 (lever) T66638 (cross)
<b>Vesi®</b> Available in: PC, BB, BN, BZ	 T66T040	 T66640
<b>Virage®</b> Available in: PC, PN, RB, BN, BZ	 T66T030	 T66630

## WALL MOUNT SHOWERHEADS

### Baliza®

*Complements Providence, Tresa and Williamsburg Collections*

Available in: PC, PN, RB, BN, BZ  
Flow rate: 2.0 gpm @ 80 psi, 7.6 L/min @ 552 kPa



87305



### Charlotte™

Available in: PC, PN, PNCO, BN  
Flow rate: 2.0 gpm @ 80 psi, 7.6 L/min @ 552 kPa



87385



### JASON WU For Brizo™

Available in: BL  
Flow rate: 2.0 gpm @ 80 psi, 7.6 L/min @ 552 kPa



87375



### Odin™

*Complements Quiescence Collection*

Available in: PC, BN  
Flow rate: 2.0 gpm @ 80 psi, 7.6 L/min @ 552 kPa



87375



### RSVP®

Available in: PC, BN, BZ  
Flow rate:  
RP48041: 2.5 gpm @ 80 psi, 9.5 L/min @ 552 kPa  
RP61162: 2.0 gpm @ 80 psi, 7.6 L/min @ 552 kPa  
87390: 2.0 gpm @ 80 psi, 7.6 L/min @ 552 kPa



RP48041



RP61162



87390



### Siderna™

*Complements Loki Collection*

Available in: PC, BN, BL  
Flow rate:  
81380: 2.5 gpm @ 80 psi, 9.5 L/min @ 552 kPa  
87380: 2.0 gpm @ 80 psi, 7.6 L/min @ 552 kPa



81380



87380



### Traditional

*Complements Baliza, Providence, Tresa and Williamsburg Collections*

Available in: PC, PN, BB, RB, BN, BZ  
Flow rate: 2.5 gpm @ 80 psi, 9.5 L/min @ 552 kPa



RP52090

### Vesi®

Available in: PC, BB, BN, BZ  
Flow rate:  
RP42431: 2.5 gpm @ 80 psi, 9.5 L/min @ 552 kPa  
RP61163: 2.0 gpm @ 80 psi, 7.6 L/min @ 552 kPa  
87340\*: 2.0 gpm @ 80 psi, 7.6 L/min @ 552 kPa  
\*Not available in BB



RP42431



RP61163



87340



### Virage®

Available in: PC, PN, RB, BN, BZ  
Flow rate: 2.0 gpm @ 80 psi, 7.6 L/min @ 552 kPa



87330



## CEILING MOUNT RAINCAN SHOWERHEADS

---

### Charlotte™

Available in: PC, PN, PNCO, BN

Flow rate: 2.5 gpm @ 80 psi, 9.5 L/min @ 552 kPa



81385



### JASON WU For Brizo™

Available in: BL

Flow rate: 2.5 gpm @ 80 psi, 9.5 L/min @ 552 kPa



81375

### Odin™

*Complements Quiescence Collection*

Available in: PC, BN

Flow rate: 2.5 gpm @ 80 psi, 9.5 L/min @ 552 kPa



81375

### RSVP®

Available in: PC, BN, BZ

Flow rate: 2.5 gpm @ 80 psi, 9.5 L/min @ 552 kPa



RP48043

### Siderna™

*Complements Loki Collection*

Available in: PC, BN

Available in: BL (Q1 2013)

Flow rate: 2.5 gpm @ 80 psi, 9.5 L/min @ 552 kPa



81380

### Traditional

*Complements Baliza,*

*Providence, Tresa and Williamsburg Collections*

Available in: PC, PN, BB, RB, BN, BZ

Flow rate: 2.5 gpm @ 80 psi, 9.5 L/min @ 552 kPa



83310

### Vesi®

*Complements Loki and Siderna Collections*

Available in: PC, BB, BN, BZ

Flow rate: 2.5 gpm @ 80 psi, 9.5 L/min @ 552 kPa



83341

### Virage®

Available in: PC, PN, RB, BN, BZ

Flow rate: 2.5 gpm @ 80 psi, 9.5 L/min @ 552 kPa



81330



## SHOWER ARMS AND FLANGES

### Wall Mount Shower Arms and Flanges



7" Shower Arm with Decorative  
Flange RP62929  
Available in: PC, PN, RB, BN, BZ



8" Long Shower Arm  
and Flange RP70909  
Available in: PC, PN, PNCO, BN



15" Shower Arm  
and Flange RP71648  
Available in: PC, BN, BL



7" Wall Mount Shower Arm  
RP48040  
Available in: PC, BN, BZ



15" Shower Arm  
and Flange RP71650  
Available in: PC, BL, BN



7" Shower Arm  
and Flange RP74448  
Available in: PC, BL, BN




Shower Arm  
and Flange RP54168  
Available in: PC, PN, BB, RB, BN, BZ



7" Shower Arm  
and Flange RP71649  
Available in: PC, BB, BN, BZ, PN, RB



5 1/2" Wall Mount  
Shower Arm RP62603  
Available in: PC, PN, RB, BN, BZ



7" Shower Arm and  
Round Flange RP74751  
Available in: PC, BN, BL  
AVAILABLE Q1 2013

### Ceiling Mount Shower Arms and Flanges



10" Ceiling Mount Shower Arm  
and Flange RP48986  
Available in: PC, PN, BB, RB,  
BN, BZ, BL



6" Ceiling Mount Shower Arm  
and Flange RP48985  
Available in: PC, PN, BB, RB,  
BN, BZ, BL



10" Ceiling Mount Shower Arm  
and Square Flange RP70765  
Available in: PC, PN, RB, BN,  
BL, BB, BZ



6" Ceiling Mount Shower Arm  
and Square Flange RP70764  
Available in: PC, PN, RB, BN,  
BL, BB, BZ

Hydrati™ Two-in-One showers offer resounding proof that design, performance and flexibility aren't mutually exclusive. Featuring a showerhead design with an integrated handshower—seamlessly held in place using MagneDock® Technology—Two-in-One showers effortlessly adjust to a wide range of uses. And both the showerhead and handshower incorporate Brizo's exclusive H<sub>2</sub>Okinetic® Technology, for an immersive, indulgent experience while using less water.

### Traditional Round

Complements Baliza, Providence, Tresa and Williamsburg Collections

Flow rate: 2.5 gpm @ 80 psi, 9.5 L/min @ 552 kPa  
Available in: PC, PN, RB, BN, BZ



86200

### Transitional Square

Complements Charlotte, RSVP, Vesi, and Virage Collections

Flow rate: 2.5 gpm @ 80 psi, 9.5 L/min @ 552 kPa  
Available in: PC, PN, RB, BN, BZ, PNCO



86201

### Euro Round

Complements Odin and Quiescence Collections

Flow rate: 2.5 gpm @ 80 psi, 9.5 L/min @ 552 kPa  
Available in: PC, BN, BL



86275

### Euro Square

Complements Loki and Siderna Collections

Flow rate: 2.5 gpm @ 80 psi, 9.5 L/min @ 552 kPa  
Available in: PC, BN, BL




86280

### SHOWER ARMS AND FLANGES:



Wall Mount Shower Arm and Flange RP62929  
Available in: PC, PN, RB, BN, BZ



Wall Mount Shower Arm and Round Flange RP74751  
Available in: PC, BN, BL  
(available Q1 2013)



Wall Mount Shower Arm and Square Flange RP71649  
Available in: PC, BB, BN, BZ, PN, RB



7" Shower Arm and Flange RP74448  
Available in: PC, BL, BN



### Baliza®

85810 - Wall Mount



Available in: PC, PN, RB, BN, BZ  
Flow rate:  
2.0 gpm @ 80 psi  
7.6 L/min @ 552 kPa



Complements Providence,  
Tresa and Williamsburg  
Collections

### Charlotte™

85785 - Slide Bar



Available in: PC, PN, PNCO, BN  
Flow rate:  
2.0 gpm @ 80 psi  
7.6 L/min @ 552 kPa



### Charlotte™

85885 - Wall Mount



Available in: PC, PN, PNCO, BN  
Flow rate:  
2.0 gpm @ 80 psi  
7.6 L/min @ 552 kPa



### JASON WU For Brizo™

88775 - Slide Bar



Available in: BL  
Flow rate: 2.0 gpm @ 80 psi  
7.6 L/min @ 552 kPa



### JASON WU For Brizo™

88875 - Wall Mount



Available in: BL  
Flow rate:  
2.0 gpm @ 80 psi  
7.6 L/min @ 552 kPa



### Odin™

88775 - Slide Bar



Available in: PC, BN  
Flow rate: 2.0 gpm @ 80 psi  
7.6 L/min @ 552 kPa



Complements Quiescence  
Collection

### Odin™

88875 - Wall Mount



Available in: PC, BN  
Flow rate: 2.0 gpm @ 80 psi  
7.6 L/min @ 552 kPa



Complements Quiescence  
Collection

### RSVP®

89710 - Slide Bar



Available in: PC, BN, BZ  
Flow rate: 2.0 gpm @ 80 psi  
7.6 L/min @ 552 kPa



### Traditional

RP36003 - Slide Bar



Available in:  
PC, PN, BB, RB, BN, BZ  
Flow rate: 2.0 gpm @ 80 psi  
7.6 L/min @ 552 kPa




Complements Providence, Tresa  
and Williamsburg Collections

**Traditional**

RP36002 - Wall Mount




Available in:  
PC, PN, BB, RB, BN, BZ  
Flow rate:  
2.0 gpm @ 80 psi  
7.6 L/min @ 552 kPa

**Vesi®**

RP41202 - Wall Mount



Available in:  
PC, PN, BB, RB, BN, BZ  
Flow rate:  
2.0 gpm @ 80 psi  
7.6 L/min @ 552 kPa

**Virage®**

85730 - Slide Bar



Available in:  
PC, PN, RB, BN, BZ  
Flow rate:  
2.0 gpm @ 80 psi  
7.6 L/min @ 552 kPa

**Virage®**

85830 - Wall Mount




Available in:  
PC, PN, RB, BN, BZ  
Flow rate:  
2.0 gpm @ 80 psi  
7.6 L/min @ 552 kPa

**Euro**

85521 - Slide Bar



Available in:  
PC, BN, BL  
Flow rate:  
2.0 gpm @ 80 psi  
7.6 L/min @ 552 kPa



## BODY SPRAYS AND JETS

**Body spray with Touch-Clean® Technology**

Brizo body sprays with Touch-Clean Technology will surround you in water and engulf you in a fluid state. Because they feature a spray face that's available in a range of finishes, your shower will have a beautifully coordinated look. Even better, you can protect that beauty by simply wiping away any calcium and lime build-up with the touch of a finger.

**TOUCH-CLEAN®  
BODY SPRAY**

Flow rate:  
2.0 gpm @ 80 psi  
7.6 L/min @ 552 kPa



84110-PC  
84110-PN  
84110-BB  
84110-RB  
84110-BN  
84110-BZ  
84110-BL

**SQUARE TOUCH-CLEAN®  
BODY SPRAY**

Flow rate:  
2.0 gpm @ 80 psi  
7.6 L/min @ 552 kPa



84121-PC  
84121-PN  
84121-RB  
84121-BN  
84121-BZ  
84121-BL

**Body sprays and jets with H<sub>2</sub>Okinetic® Technology**

H<sub>2</sub>Okinetic® Technology is an exclusive patented feature of select Brizo body sprays and jets. It creates a warmer, more luxurious shower that blankets the body while using less water. By controlling water's shape, velocity and thermal dynamics, you enjoy a high flow sensation, but with medium flow water use.

**BODY SPRAY WITH  
H<sub>2</sub>OKINETIC®  
TECHNOLOGY**

Flow rate:  
1.6 gpm @ 80 psi  
6.8 L/min @ 552 kPa



T84101-PC  
T84101-PN  
T84101-BB  
T84101-RB  
T84101-BN  
T84101-BZ  
T84101-BL

\* must order R84101 (rough)  
for each T84101 ordered.

**BODY JET WITH  
H<sub>2</sub>OKINETIC®  
TECHNOLOGY**

Flow rate:  
2.0 gpm @ 80 psi  
7.6 L/min @ 552 kPa



84001-PC  
84001-PN  
84001-BB  
84001-RB  
84001-BN  
84001-BZ  
84001-BL

# KITCHEN



BALIZA®  
26



BELO®  
30



FLORIANO®  
34



LOKI®  
38



SOLNA™  
42



TALO®  
46



TRESA®  
50



VENUTO®  
54



VUELO™  
58

## COLLECTION PAGE

### FAUCET TYPE

Single-Hole							●		●
Single-Hole with Side Spray							●		●
Single-Hole Pull Down		●	●		●	●		●	●
Single-Hole Pull Out	●								●
Bridge							●		
Bridge with Side Spray							●		
Bar/Prep		●	●	●	●	●	●	●	●
Wall Mount							●		
Pot Filler	○	○	○	○	○	○	○	○	○
Beverage Faucet	○	○	○	○	○	○	○	○	○

### FEATURES

SmartTouch					●	●		●	●
MagneDock	●	●			●	●		●	●
Diamond Seal Technology	●	●			●				●
No-Lead Compliant	●	●		●	●	●	●	●	●
ADA Compliant	●	●	●	●	●	●	●	●	●
Water Efficient	●	●	●	●	●	●	●	●	●

### FINISHES

Polished Chrome (PC)	●	●	●	●	●	●	●	●	●
Polished Nickel (PN)	●					●	●		
Stainless Steel (SS)	●	●	●	●	●	●	●	●	●
Venetian Bronze (RB)	●					●	●		
Brushed Bronze (BZ)	●				●	●	●		
Stainless with Cocoa Bronze (SSCO)									●
Stainless with Soft-Touch (SSST)								●	
Matte Black (BL)					●			●	
Matte White (MW)					●				

● Available in collection

○ Coordinating option available

# BATH

## COLLECTION PAGE



### FAUCET TYPE

Electronic Single-Hole Lavatory	•		•		•								
Electronic Single-Hole Vessel	•				•								
Single-Hole Lavatory		•		•			•		•	•			
Single-Hole Vessel		•					•		•	•			
Widespread Lavatory	•	•	•		•	•		•	•	•	•	•	•
Widespread Vessel			•					•				•	
Mini Widespread		•											
Bridge Lavatory										•			
Wall Mount Lavatory	•		•		•		•	•	•	•		•	
Roman Tub	•	•	•	○	•	•	•	•	•	•	•	•	•
Roman Tub with Handshower	•	•	•	○	•	○	•	•	•	•	•	•	○
Bidet	•	•	•	○	•	○	•	•	•	○	•	•	○

### SHOWER OPTIONS

Pressure Balance Tub/Shower	○	○	○	○	○	○	○	•	○	○	•	○	○
Thermostatic Tub/Shower	•	•	•	○	•	○	○	•	•	○	•	•	○
Medium Flow Custom Shower	•	•	•	○	•	○	○	•	•	○	•	•	○
Sensori High Flow Custom Shower	•	•	•	○	•	○	○	•	•	○	•	•	○

### FEATURES

SmartTouch <sup>Plus</sup>	•		•		•								
TempIQ	•		•		•								
No-Lead Compliant	•	•	•	•	•		•	•	•	•	•	•	
ADA Compliant	•	•	•	•	•	•	•	•	•	•	•	•	•
WaterSense Labeled	•	•	•	•	•	•	•	•	•	•	•	•	•

### FINISHES

Polished Chrome (PC)		•	•	•	•	•	•	•	•	•	•	•	•
Polished Nickel (PN)		•	•							•		•	
Brilliance Brass (BB)						•					•		
Brushed Nickel (BN)		•	•	•	•	•	•	•	•	•	•	•	•
Venetian Bronze (RB)		•				•				•		•	•
Brushed Bronze (BZ)		•				•		•		•	•	•	•
Cocoa Bronze (PNC0)			•										
Matte Black (BL)	•								•				



**BRIZO.COM**

**BRIZO**

**MASCO CORPORATION OF INDIANA**

55 EAST 111TH STREET  
PO BOX 40980  
INDIANAPOLIS, IN 46280  
1 877 345 BRIZO (2749)

©2012 MASCO CORP.  
OF INDIANA

BR-0572

